



**FALKE**  
**PRECISE INSTINCT**

[WWW.FALKE-GERMANY.COM](http://WWW.FALKE-GERMANY.COM)

# FALKE SCOPES

---

FALKE scopes are set apart by their exceptionally user-friendly fittings. This makes them a practical and dependable companion. Stability, durability and precision are ensured for the long term thanks to high-quality execution.

## The advantages of FALKE scopes – an overview:

- Multi-layer coated, scratchproof lenses with maximum light transmission
- Dimmable etched, glare-free illuminated reticle
- Will not shoot loose, even with the most powerful magnum calibers, no matter what the climate zone
- Water-tight and impact-resistant thanks to nitrogen filling
- Fine-tunable adjustment towers with click adjustment boasting exact repeat accuracy



5-30x56



10-40x56



1-6x24 L4



# FALKE REFLEX SIGHTS

Like all FALKE products, FALKE reflex sights are developed and tested by professionals. They have already proven themselves in use many times over. Top marksmen are already using FALKE reflex sights with all calibers, hunting instructors recommend them without reservation and authorities have tested them with the most powerful calibers. FALKE reflex sights are already being used successfully by German and International Security Forces.

## The advantages of FALKE reflex sights – an overview:

- Absolutely resistant to the effects of shooting, protected from water and suitable for all climate zones
- Sturdy, corrosion-resistant metal housing
- Robust LED technology with pin-point sharp and clear reticles
- Maximum light transmission without discoloration
- Parallax-free thanks to high quality lenses
- Waterproof to 33 feet/ 10m
- Low battery indicator
- Kill Flash included



## Specifications

Magnification	1x
Reticle type	65 MOA Circle / 2 MOA Dot
Windage/Elevation adjustment	144 MOA
Battery type	CR2
Battery running time (continuously)	100-1000 hrs
Battery running time (auto shut-off)	100-4000 hrs
Brightness settings	10 DT / 10 NV
Auto shut-off	2 hrs
Dimensions (In/mm)	4,33x2,01x2,28 / 107x51x54
Weight (oz/g)	9,56 / 271
Material	Aluminium

## FALKE LE QL GEN2



# FALKE MAGNIFIERS

The FALKE B3X and B5X boosters quickly and easily transform your reflex sight into a precision telescopic sight. This magnifies the target by 3 or 5 times, respectively. The optical sight provides sharp, clear and bright images. FALKE boosters are ideal for shooting at long distance with a reflex sight. FALKE boosters with STS (Switch to Side) mounting are perfectly compatible with FALKE LE QL and other reflex sights.

## The advantages of FALKE magnifiers – an overview:

- Turn your reflex sight into a 3 or 5 times telescopic sight in seconds
- Adaptable and adjustable for all conventional reflex sights
- Integrated and detachable side-folding Picatinny/Weaver rail
- High-quality lenses provide a pin-point sharp, bright picture
- Sturdy metal housing



## Specifications

	FALKE B3X	FALKE B5X
Magnification	3x	5x
Field of View (ft/100 yd/m/100 m)	41,67 / 13,89 / 12,7 m	25,92 / 8,64 / 7,9 m
Windage/Elevation adjustment	+/- 40 MOA	+/- 40 MOA
Dimensions (In/mm)	4,33x2,01x2,28 / 107x51x54	4,72x2,01x2,17 / 120x51x55
Weight (oz/g)	9,45 / 268	9,49 / 269
Material	Aluminium	Aluminium

# SPECIFICATION OVERVIEW

## PRO SERIES

### Specifications

	1-8x26	5-30x56
Model Number	1-8x26	5-30x56
Magnification Value	1x-8x	5x-30x
Objective Lens Diameter (In/mm)	1,02 / 26	2,2 / 56
Body Tube Diameter (In/mm)	1,34 / 34	1,34 / 34
Length (In/cm)	9,84 / 25	14,65 / 37,2
Weight (oz/g)	24,06 / 682	34,04 / 965
Parallax Setting	109,36 yd	10 yd - ∞
Windage Adjustment Range	34,91 MIL	23,86 MIL
Elevation Adjustment Range	34,91 MIL	23,86 MIL
Click Value	0,1 MIL	0,1 MIL
Eye Relief (In/mm)	4,33-3,54 / 110-90	3,98-3,5 / 101-89
Field of View (ft/100 yd / m/100 m)	105,1-13,09 / 35-4,36	23,52-3,81 / 7,83-1,27
Focal Plane	First Focal Plane	Second Focal Plane
Diopter Compensation	+2 ~ -3	+2 ~ -3

## HUNT SERIES

### Specifications

	1-6x24 L4	3-12-56 L4	1-8x24
Model Number	1-6x24	3-12-56 L4	1-8x24
Magnification Value	1x-6x	3x-12x	1x-8x
Objective Lens Diameter (In/mm)	0,94 / 24	2,2 / 56	0,94 / 24
Body Tube Diameter (In/mm)	1,18 / 30	1,18 / 30	1,18 / 30
Length (In/cm)	10,85 / 27,57	12,8 / 33	10,63 / 27
Weight (oz/g)	17,99 / 510	24,69 / 700	19,4 / 550
Parallax Setting	100 yd	109,36 yd	109,36 yd
Windage Adjustment Range	120 MOA	30 MOA	60 MOA
Elevation Adjustment Range	120 MOA	30 MOA	60 MOA
Click Value	1 / 2 MOA	1 / 4 MOA	1 / 2 MOA
Eye Relief (In/mm)	4,33-3,46 / 110-88	3,94-3,54 / 100-90	3,58-3,46 / 91-88
Field of View (ft/100 yd / m/100 m)	100,4-16,6 / 33-5,50	36,7-9,16 / 12,20-3,05	105,7-13,7 / 35,30-4,59
Focal Plane	Second Focal Plane	Second Focal Plane	Second Focal Plane
Diopter Compensation	+2 ~ -3	+2 ~ -2	+2 ~ -2

## TAC SERIES

### Specifications

	1-6x24	4-16x44	8,5-25x50	10-40x56
Model Number	1-6x24	4-16x44	8,5-25x50	10-40x56
Magnification Value	1x-6x	4x-16x	8,5x-25x	10x-40x
Objective Lens Diameter (In/mm)	0,94 / 24	1,73 / 44	1,97 / 50	2,2 / 56
Body Tube Diameter (In/mm)	1,18 / 30	1,18 / 30	1,18 / 30	1,18 / 30
Length (In/cm)	10,85 / 27,57	14,96 / 38	16,24 / 41,25	16,75 / 42,55
Weight (oz/g)	17,99 / 510	28,22 / 800	31,96 / 906	32,28 / 915
Parallax Setting	100 yd	10 yd - ∞	10 yd - ∞	10 yd - ∞
Windage Adjustment Range	120 MOA	58 MOA	42 MOA	42 MOA
Elevation Adjustment Range	120 MOA	58 MOA	42 MOA	42 MOA
Click Value	1 / 2 MOA	1 / 8 MOA	1 / 8 MOA	0,125 MOA
Eye Relief (In/mm)	4,33-3,46 / 110-88	4,72-3,46 / 120-88	3,9-3,46 / 99-88	3,86-3,35 / 98-95
Field of View (ft/100 yd / m/100 m)	100,4-16,6 / 33-5,50	28,8-7,33 / 9,57-2,38	14,67-4,99 / 4,87-1,65	11,52-2,92 / 3,82-0,97
Focal Plane	Second Focal Plane	Second Focal Plane	Second Focal Plane	Second Focal Plane
Diopter Compensation	+2 ~ -3	+2 ~ -3	+2 ~ -3	+2 ~ -3

# FALKE FOCUS ON QUALITY

Tradition and modernity, quality and cost-effectiveness, experience and ambition – these are the poles between which our company FALKE confidently strides. The result is a product portfolio that is optimally coordinated to the requirements of practice-oriented users.

Following in the tradition of world-famous optical sight manufacturers, FALKE provide you with products that combine time-tested technology with cutting-edge concepts. Our products are manufactured by experienced employees based on the highest quality standards using state-of-the-art machines. As such, we set new standards in providing price for performance.

Our brand is backed by the experience of hunters, master marksmen, gunsmiths and optics specialists who bring their expertise and ideas to the table, where they are implemented with top German engineering quality.

Put your trust in FALKE and experience these durable, high-quality products for yourself.



**FALKE Germany**  
Adolf-Dembach-Straße 4  
47829 Krefeld Germany

[www.falke-germany.com](http://www.falke-germany.com)  
[info@falke-germany.com](mailto:info@falke-germany.com)

