



2020
PRODUCTS
GLOBAL





SPORT

SYSTEM H7

UNPARALLELED OPTICAL PERFORMANCE

The ultimate optics contained in only our most advanced riflescopes. The Best.

SYSTEM H5

IMMERSIVE WIDE ANGLE OPTICS

High performance optics comprising ultra-wide angle and long eye relief. The professional's choice.

SYSTEM H2

REDEFINING VALUE OPTICS

Our premium optics for a wide range of scopes transversing many disciplines. Dependable, Accurate, Affordable.

FRONTIER

RIFLESCOPES

FRONTIER 30 FFP	6
FRONTIER 30 SF	7
FRONTIER 30	7
FRONTIER SF	8

SIDEWINDER

RIFLESCOPES

● SIDEWINDER 30 FFP	10
● SIDEWINDER 30 SF	10

ENDURANCE

RIFLESCOPES

ENDURANCE 30 WA SF	12
ENDURANCE 30 WA	13

VANTAGE

RIFLESCOPES

● VANTAGE 30 WA FFP IR	14
VANTAGE 30 WA SF IR	15
VANTAGE 30 WA IR	15
VANTAGE IR	16
VANTAGE SF	17
VANTAGE	18

AIRMAX

AIRGUN SCOPES

● AIRMAX 30 WA TOUCH	20
AIRMAX 30 WA SF COMPACT	21
● AIRMAX 30 WA FFP	21
AIRMAX 30 SF	22
AIRMAX WA	22

XB

CROSSBOW SCOPES

RED DOT SIGHTS

● TUBE	36
● REFLEX	37

LASER RANGE FINDERS

● ENDURANCE	38
● VANTAGE	38

RING MOUNTS

● STEEL	40
● ALUMINIUM	42

ACCESSORIES

SUNSHADES	46
FLIP-UP COVERS	47
SIDE WHEELS	48
LASERS & LED'S	49
BIPODS & RESTS	49

FRONTIER SYSTEM H7

Fifteen models in a variety of magnifications and reticle designs offer supreme accuracy for rifle shooting, driven and hunting applications.

All models feature Hawke's new H7 optics with high zoom ratio, supreme clarity and light transmission.

Available in First Focal Plane (FFP) and Second Focal Plane (SFP).

Wide Angle FOV / High volume eyepiece / 100mm eye relief / Multi-LED high intensity reticle / Exposed Zero Lock 'n' Stop elevation turret or no-snag capped turrets / High grade, low dispersion Crown glass / 21 layer Fully Multi-Coated lenses / Zoom magnification throw lever (removable) / Fast focus eyepiece with lock ring

Supplied with Professional metal flip-up covers.

Nitrogen purged / Shockproof / Waterproof / Fog proof / All calibre rated

Hawke Lifetime Warranty



FRONTIER 30 FFP

Exposed, Zero Lock 'n' Stop Turret | First Focal Plane | 30mm Side Focus | Illumination



18 520 3-15x50 SF FFP Mil Pro (15x)

18 530 4-20x50 SF FFP Mil Pro (20x)

18 540 5-25x56 SF FFP Mil Pro (25x)

18 540 SHOWN

FRONTIER 30 SF

Exposed, Zero Lock 'n' Stop Turret | 30mm | Side Focus Illumination



18 420 2.5-15x50 SF LR Dot (8x)

18 421 2.5-15x50 SF Mil Pro (10x)

18 430 4-24x50 SF LR Dot (16x)

18 431 4-24x50 SF Mil Pro (20x)

18 440 5-30x56 SF LR Dot (16x)

18 441 5-30x56 SF Mil Pro (20x)

18 441 SHOWN

FRONTIER 30

Exposed, Zero Lock 'n' Stop Turret | 30mm | Illumination



18 402 1-6x24 Tactical Dot (6x)



FRONTIER 30

Capped Low-Profile Turrets | 30mm | Illumination



18 400	1-6x24	L4A Dot
18 401	1-6x24	Circle Dot

FRONTIER SF

Exposed, Zero Lock 'n' Stop Turret | 1 Inch | Side Focus Illumination



18 120	3-15x44 SF	Mil Pro (10x)
18 130	4-20x44 SF	Mil Pro (20x)
18 140	5-25x50 SF	Mil Pro (20x)

18 130 SHOWN

SIDEWINDER SYSTEM H5

Our best selling scope just got better!

New for 2020, Sidewinder is the must-have high performance multi-discipline scope. Parallax-free shooting from 9 metres to infinity assisted by an index matched rangefinding side wheel (removable).

All models feature Hawke's new H5 optics which boasts a stunning 24° ultra-wide field of view with generous 100mm eye relief. Precision locking turrets with 1/10 MRAD clicks, now feature a witness window giving you an instant visual guide to your turret's position.

Available in First Focal Plane (FFP) and Second Focal Plane (SFP).

Ultra-wide Angle 24° FOV / High volume eyepiece / 100mm eye relief / Resettable locking turrets with witness window / Side wheel - index-matched (removable) / Multi-LED high intensity reticle / High grade, low dispersion Crown glass / 18 layer Fully Multi-Coated lenses / Zoom magnification throw lever (removable) / Fast focus eyepiece with lock ring

Nitrogen purged / Shockproof / Waterproof / Fog proof / All calibre rated

Hawke Lifetime Warranty

SIDEWINDER 30 SF

Exposed, Locking Turrets | 30mm | Side Focus | Illumination



● 17 140	4.5-14x44 SF	10x Half Mil
● 17 150	6.5-20x44 SF	20x Half Mil
● 17 250	4-16x50 SF	10x Half Mil
● 17 251	4-16x50 SF	SR Pro II
● 17 260	6-24x56 SF	20x Half Mil
● 17 261	6-24x56 SF	SR Pro II
● 17 270	8-32x56 SF	20x Half Mil
● 17 271	8-32x56 SF	SR Pro II
● 17 450	4-16x50 SF	FFP Half Mil
● 17 460	6-24x56 SF	FFP Half Mil

17 260 SHOWN

● ● ● ● new products



ENDURANCE SYSTEM H5

Designed for all hunting disciplines - from varmint to big game.

All models feature Hawke's new H5 optics which boasts a stunning 24° ultra-wide field of view with generous 100mm eye relief. The H5 illumination system features multi-LED technology for high intensity illumination.

Available with a choice of MRAD or MOA, exposed locking or low-profile turrets.

Ultra-wide Angle 24° FOV / High volume eyepiece / 100mm eye relief / Multi-LED high intensity reticle / High grade, low dispersion Crown glass / 18 layer Fully Multi-Coated lenses / High torque rubber zoom ring / Fast focus eyepiece

Nitrogen purged / Shockproof / Waterproof / Fog proof / All calibre rated

Hawke Lifetime Warranty



ENDURANCE 30 WA SF

Exposed, Locking Turrets | 30mm | Wide Angle | Side Focus Illumination



16 350	4-16x50 SF	LR Dot (8x)
16 351	4-16x50 SF	.223/.308 Marksman (16x)
16 352	4-16x50 SF	LRC (16x)
16 360	6-24x50 SF	LR Dot (16x)
16 361	6-24x50 SF	.223/.308 Marksman (24x)
16 362	6-24x50 SF	LRC (24x)

16 360 SHOWN

ENDURANCE 30 WA

Exposed, Locking Turrets | 30mm | Wide Angle | Illumination



16 301	1-4x24	Tactical Dot (4x)
16 321	2.5-10x50	LRC (10x)
16 331	3-12x56	LRC (12x)

16 331 SHOWN

ENDURANCE 30 WA

Capped Low-Profile Turrets | 30mm | Wide Angle Illumination



16 300	1-4x24	L4A Dot
16 310	1.5-6x44	L4A Dot
16 320	2.5-10x50	LR Dot (8x)
16 330	3-12x56	LR Dot (8x)

16 300 SHOWN

VANTAGE SYSTEM H2

An extensive range of scopes to suit all calibres and disciplines.

All Vantage riflescopes feature our H2 optics in a variety of configurations.

New for 2020 are 30mm FFP models as well as reticles designed specifically for slug guns, .223/.308 calibre and rimfire rifles.

IR models feature precision glass etched reticles with multi-stage illumination in both red and green.

30mm and 1 inch models / First Focal Plane options / Wide Angle FOV (30mm models) / Illuminated glass reticles (IR models) / Choice of precise locking or capped turrets / 11 layer Fully Multi-Coated lenses / High torque zoom ring / Fast focus eyepiece

Nitrogen purged / Shockproof / Waterproof / Fog proof / All calibre rated

Hawke Lifetime Warranty



VANTAGE 30 WA FFP IR

Exposed, Locking Turrets | First Focal Plane | 30mm
Wide Angle | Side Focus | Illumination



- 14 300 4-16x50 SF FFP Half Mil Dot
- 14 304 6-24x50 SF FFP Half Mil Dot

14 304 SHOWN

VANTAGE 30 WA SF IR

Exposed, Locking Turrets | 30mm | Wide Angle | Side Focus
Illumination



- 14 293 4-16x50 SF Rimfire .22 LR Subsonic (16x)
- 14 294 4-16x50 SF Rimfire .17 HMR (16x)
- 14 295 4-16x50 SF Rimfire .22 LR HV (16x)
- 14 296 4-16x50 SF 10x Half Mil Dot
- 14 297 6-24x50 SF 10x Half Mil Dot

14 297 SHOWN

VANTAGE 30 WA IR

Exposed, Locking Turrets | 30mm | Wide Angle | Illumination



- 14 277 3-9x42 .223/.308 Marksman (9x)



VANTAGE 30 WA IR

Capped Low-Profile Turrets | 30mm | Wide Angle Illumination



14 273	1-4×24	L4A Dot
14 276	1.5-6×44	L4A Dot
14 274	2.5-10×50	L4A Dot
14 275	3-12×56	L4A Dot

14 273 SHOWN

VANTAGE IR

Capped Low-Profile Turrets | 1 Inch | Illumination



14 211	2-7×32 AO	Mil Dot IR
● 14 219	3-9×40	Slug Gun/Muzzleloader
14 220	3-9×40	30/30 Centre Cross
14 221	3-9×40	Mil Dot IR
14 222	3-9×40	Rimfire .22 LR HV (9×)
14 223	3-9×40	Rimfire .22 LR Subsonic (9×)
14 225	3-9×40 AO	Mil Dot IR
14 230	3-9×50	Mil Dot IR
14 232	3-9×50 AO	Mil Dot IR
14 241	4-12×40 AO	Rimfire .17 HMR (12×)
14 242	4-12×40 AO	Rimfire .22 WMR
14 250	4-12×50	Mil Dot IR

CONT.

VANTAGE SF

Capped Low-Profile Turrets | 1 Inch | Side Focus



14 160	3-12×44 SF	Half Mil Dot
14 161	4-16×44 SF	Half Mil Dot
14 162	6-24×44 SF	Half Mil Dot

14 162 SHOWN

CONT.

14 251	4-12×50	Rimfire .22 LR Subsonic (12×)
14 254	4-12×50	L4A Dot
14 252	4-12×50 AO	Mil Dot IR
14 260	4-16×50 AO	Mil Dot IR
14 261	4-16×50 AO	Rimfire .17 HMR (16×)
14 265	6-24×50 AO	Mil Dot IR

14 265 SHOWN



VANTAGE

Capped Low-Profile Turrets | 1 Inch



14 100 4×32 30/30 Duplex

14 101 4×32 Mil Dot

14 102 4×32 AO Mil Dot

14 110 2-7×32 30/30 Duplex

14 111 2-7×32 AO Mil Dot

14 120 3-9×40 30/30 Duplex

14 121 3-9×40 Mil Dot

14 122 3-9×40 AO 30/30 Duplex

14 123 3-9×40 AO Mil Dot

14 130 3-9×50 30/30 Duplex

14 131 3-9×50 Mil Dot

14 133 3-9×50 AO Mil Dot

CONT.

14 140 4-12×40 AO 30/30 Duplex

14 141 4-12×40 AO Mil Dot

14 140 SHOWN

CONT.

AIRMAX SYSTEM H2

Specialist scopes designed by airgunners for airgunners!

Airmax scopes feature our H2 optics in a variety of configurations designed to suit airgun characteristics and are available in First Focal Plane (FFP) and Second Focal Plane (SFP).

The all-new Airmax 30 WA Touch offers an unbelievable 37° FOV; unrivalled in sport optics. With zero eye relief, Airmax 30 WA Touch is ideal for PCP air rifles.

30mm and 1 inch models / Wide Angle or Super Wide Angle FOV / Illuminated glass reticles (IR models) / Choice of precise locking or capped turrets / 16 layer Fully Multi-Coated lenses / High torque zoom ring / Fast focus eyepiece / Side wheel (removable) / AMX reticle designed for airguns

Nitrogen purged / Shockproof / Waterproof / Fog proof / All calibre rated

Hawke Lifetime Warranty



AIRMAX 30 WA TOUCH

Capped Target Turrets | Zero Eye Relief | 30mm Super Wide Angle | Side Focus | Illumination



● 13 260 3-12x32 SF AMX IR

AIRMAX 30 WA SF COMPACT

Capped Target Turrets | 30mm | Wide Angle | Side Focus Illumination



● 13 200 3-12x40 SF AMX IR

13 210 4-16x44 SF AMX IR

13 220 6-24x50 SF AMX IR

13 220 SHOWN

AIRMAX 30 WA FFP

Capped Target Turrets | First Focal Plane | 30mm Wide Angle | Side Focus | Illumination



● 13 350 4-16x50 SF FFP AMX IR

● 13 352 6-24x50 SF FFP AMX IR

13 352 SHOWN



AIRMAX 30 SF

Exposed Locking Turrets | 30mm | Side Focus | Illumination



13 300 3-12×50 SF AMX IR

13 310 4-16×50 SF AMX IR

13 320 6-24×50 SF AMX IR

13 340 8-32×50 SF AMX IR

13 320 SHOWN

AIRMAX WA

Capped Low-Profile Turrets | 1 Inch | Wide Angle



13 100 2-7×32 AO AMX

13 110 3-9×40 AO AMX

13 130 4-12×40 AO AMX

13 140 4-12×50 AO AMX

13 140 SHOWN



XB SYSTEM H2

We didn't invent crossbow optics...

We perfected them.

Scopes designed to withstand the rigours of crossbows with reticle systems guaranteed to make you a better shot!

XB scopes feature our vari-speed technology allowing any bow to be dialled in to create unsurpassed accuracy. A locking speed adjuster ring (XB30 Compact) ensures the FPS is not changed once zeroed.

30mm and 1 inch models / Illuminated glass reticles (IR models) / 1/2 MOA low-profile fingertip turrets / Fixed parallax at 45 metres / 11 layer Fully Multi-Coated lenses / High torque zoom ring / Fast focus eyepiece / XB multi-line reticles with range finding

Nitrogen purged / Shockproof / Waterproof / Fog proof

Hawke Lifetime Warranty



XB30 PRO

Capped Low-Profile Turrets | 30mm | Illumination



12 230 1-5x24 XB30 Pro SR

XB30 COMPACT

Capped Low-Profile Turrets | 30mm | Wide Angle Locking Zoom | Illumination



12 226 1.5-6x36 XB30 Compact SR

12 227 2-8x36 XB30 Compact SR

12 227 SHOWN

XB1 & XB

Capped Low-Profile Turrets | 1 Inch | Illumination



12 221 1.5-5x32 XB1 SR


12 211 3x32 XB SR

12 221 SHOWN


FRONTIER RETICLES

Designed for unparalleled accuracy in long-distance shooting. A selection of fine detailed laser etched Mil-spaced reticles in first and second focal planes create the perfect aimpoint for target disciplines. Bolder L4 style reticles offer the seasoned hunter a bolder crosshair for guaranteed success.


FFP MIL PRO (15x)



FFP MIL PRO (25x)




MIL PRO (10x)




LR DOT (8x)




CIRCLE DOT




FFP MIL PRO (20x)




L4A DOT




MIL PRO (20x)



LR DOT (16x)




TACTICAL DOT (6x)




SIDEWINDER RETICLES

Lethally sharp, multiple aimpoint reticles ensure you are ready for any situation. The all-new Sidewinder series have reticles that deliver precise and detailed aimpoints for holdover, ranging and windage corrections. A selection of first and second focal plane optical systems stretch the boundary of what is possible in these long range optics of choice.




ENDURANCE RETICLES

Bold and strong reticles for the modern hunter. The Endurance series offer reticles that are clear and simple to keep more of the target visible while aiming. A selection of L4 style reticles and calibre specific reticles ensure quick target acquisition when every second counts.




ENDURANCE RETICLES


TACTICAL DOT (4x)




LRC (10x)




L4A DOT



LRC (16x)




LRC (24x)




VANTAGE RETICLES

A diverse selection of reticles offer the Vantage series a match for all shooting disciplines. Mil dot, Duplex and L4 style reticles offer familiar classics, while the calibre specific reticles enter new territory for shooters wanting unbeatable accuracy.


RIMFIRE .22 LR
SUBSONIC (9x)




RIMFIRE .22 LR
SUBSONIC (16x)



RIMFIRE .22 LR
SUBSONIC (12x)




RIMFIRE .22 WMR




VANTAGE RETICLES


RIMFIRE .17 HMR (12x)




RIMFIRE .22 LR HV (9x)




FFP HALF MIL DOT




10x HALF MIL DOT




L4A DOT




MIL DOT IR




30/30 CENTRE CROSS




RIMFIRE .17 HMR (16x)




RIMFIRE .22 LR HV (16x)




.223/.308 MARKSMAN (9x)




HALF MIL DOT




SLUG GUN/MUZZLELOADER



MIL DOT




30/30 DUPLEX




AIRMAX RETICLES

The renowned AMX reticle features in all Airmax models, making this series of riflescopes a family to be recognised. Available in first and second focal plane optical systems, the AMX has etchings for holdover, windage corrections and outer brackets for distance ranging. The multiple aimpoints based on Mil spacing offer reliability when shooting air guns with loopy trajectories.



XB RETICLES

Reticles designed specifically for crossbows and their arrow trajectories. The XB reticles are laser etched for precision and engraved with distance markings to match your crossbow. Select your bow speed on the magnification ring and find instant accuracy on these hunting and target mastered optics.



RED DOT SIGHTS

A wide range of red dot sights in both tube and reflex style in 3 or 5 MOA.

Endurance red dots are supplied with high quick release and low-profile weaver mounts.

Parallax error free from 9 metres / Ultra compact / Ideal for use on Pistols, ARs and hunting rifles / Digital brightness options / Auto brightness options

Nitrogen purged / Shockproof / Waterproof / Fog proof / All calibre rated

Hawke Two Year Warranty



ENDURANCE

Monotube Red Dot with Digital Control

					
● 12 127	1×25	3 MOA Dot	Weaver Rail		
● 12 128	1×30	3 MOA Dot	Weaver Rail		

VANTAGE

Monotube Red Dot

					
12 102	1×20	3 MOA Dot	Weaver Rail		
12 103	1×25	3 MOA Dot	Weaver Rail		
12 104	1×30	3 MOA Dot	Weaver Rail		
12 105	1×20	3 MOA Dot	9-11mm Rail		
12 106	1×25	3 MOA Dot	9-11mm Rail		
12 107	1×30	3 MOA Dot	9-11mm Rail		

REFLEX

Single Piece Construction with Digital Control

					
● 12 141	3 MOA Dot	Weaver Rail			
● 12 144	3 MOA Dot (Wide View)	Weaver Rail			
12 136	5 MOA Dot	Weaver Rail			
Two Piece Construction					
12 131	5 MOA Dot (Digital Control)	Weaver Rail			
12 133	5 MOA Dot (Sensor)	Weaver Rail			

LASER RANGE FINDERS

Accurate distance measurement at the press of a button!

Choose from Endurance models featuring an illuminated OLED display or Vantage models for an LCD display.

Modes: Distance, Horizontal Distance, Angle Compensation, Rain, Hunt.

High light transmission with true colour / 6× magnification / Adjustable dioptre / Wide angle / Accuracy ± 1 metre / Auto shut off

Water resistant / Fog proof

Hawke Two Year Warranty

ENDURANCE

Red Illuminated OLED display



41 210	Model: 700	5-700m
41 211	Model: 1000	5-1000m
41 212	Model: 1500	5-1500m

VANTAGE

High TX LCD Display



● 41 200	Model: 400	6-400m
● 41 201	Model: 600	6-600m
● 41 202	Model: 900	6-900m

● ● ● ● new products



RING MOUNTS

A vast range of steel and aluminium rings and bases to suit your set-up.

Steel / Aluminium

1 Inch / 30mm / 34mm

Low / Medium / High / Extra High

Weaver / 9-11mm / 3/8 inch

See hawkeoptics.com for precise dimensions and specification.



PROFESSIONAL STEEL RING MOUNTS

Supplied with Lever & Nut



●	23 100	Weaver	1 Inch	Low
●	23 101	Weaver	1 Inch	Medium
●	23 102	Weaver	1 Inch	High
●	23 103	Weaver	1 Inch	Extra High
●	23 105	Weaver	30mm	Low
●	23 106	Weaver	30mm	Medium
●	23 107	Weaver	30mm	High
●	23 108	Weaver	30mm	Extra High

PRECISION STEEL RING MOUNTS

Supplied with Lever or Nut



●	23 000	Weaver	1 Inch	w/ Nut	Low
●	23 001	Weaver	1 Inch	w/ Nut	Medium
●	23 002	Weaver	1 Inch	w/ Nut	High
●	23 005	Weaver	30mm	w/ Nut	Low
●	23 006	Weaver	30mm	w/ Nut	Medium
●	23 007	Weaver	30mm	w/ Nut	High
●	23 010	Weaver	1 Inch	w/ Lever	Low
●	23 011	Weaver	1 Inch	w/ Lever	Medium
●	23 012	Weaver	1 Inch	w/ Lever	High
●	23 015	Weaver	30mm	w/ Lever	Low
●	23 016	Weaver	30mm	w/ Lever	Medium
●	23 017	Weaver	30mm	w/ Lever	High

CONT.

●	23 020	Weaver	34mm	w/ Nut	Low
●	23 021	Weaver	34mm	w/ Nut	Medium
●	23 022	Weaver	34mm	w/ Nut	High
●	23 030	Weaver	34mm	w/ Lever	Low
●	23 031	Weaver	34mm	w/ Lever	Medium
●	23 032	Weaver	34mm	w/ Lever	High

CONT.



TACTICAL RING MOUNTS

Triple Screw



24 101	9-11mm	1 Inch	Medium
24 102	9-11mm	1 Inch	High
24 103	9-11mm	1 Inch	Extra High
24 106	9-11mm	30mm	Medium
24 107	9-11mm	30mm	High
24 108	9-11mm	30mm	Extra High
24 111	Weaver	1 Inch	Medium
24 112	Weaver	1 Inch	High
24 113	Weaver	1 Inch	Extra High
24 116	Weaver	30mm	Medium
24 117	Weaver	30mm	High
24 118	Weaver	30mm	Extra High

TACTICAL CANTILEVER RING MOUNTS

Triple Screw



● 24 130	Weaver	1 Inch	High (1pc)	50mm Ext.
● 24 135	Weaver	30mm	High (1pc)	50mm Ext.

MATCH RING MOUNTS

Double Screw



22 100	9-11mm	1 Inch	Low
22 101	9-11mm	1 Inch	Medium
22 102	9-11mm	1 Inch	High
22 107	9-11mm	30mm	Medium
22 108	9-11mm	30mm	High
22 104	9-11mm	1 Inch (1pc)	Medium
22 105	9-11mm	1 Inch (1pc)	High
22 111	9-11mm	30mm (1pc)	High
22 112	Weaver	1 Inch	Low
22 113	Weaver	1 Inch	Medium
22 114	Weaver	1 Inch	High
22 115	Weaver	30mm	Low

CONT.

22 116	Weaver	30mm	Medium
22 117	Weaver	30mm	High

CONT.



EXTENSION RING MOUNTS

Double Screw



22 120	9-11mm	1 Inch	High	25mm Ext.
22 121	9-11mm	1 Inch	High	50mm Ext.
22 122	9-11mm	30mm	High	25mm Ext.
22 123	9-11mm	30mm	High	50mm Ext.
22 124	Weaver	1 Inch	High	25mm Ext.
22 125	Weaver	1 Inch	High	50mm Ext.
22 126	Weaver	30mm	High	25mm Ext.
22 127	Weaver	30mm	High	50mm Ext.

ADJUSTABLE RING MOUNTS

Double Screw



22 140	9-11mm	30mm	High
--------	--------	------	------

CAPS & INSERTS



22 153	1 Inch Picatinny Ring Caps (Triple Screw)
22 154	30mm Picatinny Ring Caps (Triple Screw)
22 150	1 Inch Picatinny Ring Caps (Double Screw)
22 151	30mm Picatinny Ring Caps (Double Screw)
22 160	1 Inch Mount Inserts (25 MOA Elevation)
22 161	30mm Mount Inserts (25 MOA Elevation)

ADAPTOR BASES



22 400	11mm/ $\frac{3}{8}$ " to Weaver (2pc)
22 401	11mm/ $\frac{3}{8}$ " to Weaver
22 402	11mm/ $\frac{3}{8}$ " to Weaver Ext.
22 403	$\frac{3}{8}$ " to Weaver w/ Elevation
22 404	$\frac{3}{8}$ " to Weaver Ext. w/ Elevation
22 405	11mm/ $\frac{3}{8}$ " to Weaver (2pc)
22 406	Universal Weaver Base
22 410	Picatinny to Picatinny Riser
22 411	Picatinny to Picatinny Riser Ext.
64 100	9-11mm Bubble Level
64 101	Weaver Bubble Level

ACCESSORIES

Improve your optics with official accessories from Hawke.

See hawkeoptics.com for dimensions and scope compatibility.



HONEYCOMB SUNSHADES



62 100 Objective: 24mm

62 101 Objective: 32mm

62 102 Objective: 32mm AO

62 114 Objective: 36mm

62 103 Objective: 40mm

62 104 Objective: 40mm AO

62 105 Objective: 42mm

62 107 Objective: 44mm

62 109 Objective: 50mm

62 110 Objective: 50mm AO

62112 Objective: 56mm

SUNSHADES



62 001 Objective: 32mm

62 002 Objective: 32mm AO

62 014 Objective: 36mm

62 003 Objective: 40mm

62 004 Objective: 40mm AO

62 005 Objective: 42mm

62 007 Objective: 44mm

62 009 Objective: 50mm

62 010 Objective: 50mm AO

62 012 Objective: 56mm

62 013 Objective: 60mm

PROFESSIONAL FLIP-UP COVERS



61 151 Ocular: 44mm Diameter

61 150 Ocular: 46mm Diameter

61 100 Objective: 24mm

61 107 Objective: 44mm

61 109 Objective: 50mm

61 112 Objective: 56mm

FLIP-UP COVERS



61 050 Ocular: Size 1

61 051 Ocular: Size 2

● 61 052 Ocular: Size 3

61 000 Objective: 24mm

61 001 Objective: 32mm

61 002 Objective: 32mm AO

61 014 Objective: 36mm

61 003 Objective: 40mm

61 004 Objective: 40mm AO

61 005 Objective: 42mm

61 007 Objective: 44mm

61 009 Objective: 50mm



SIDE WHEELS



CONT.

61 010 Objective: 50mm AO

61 012 Objective: 56mm

61 013 Objective: 60mm

63 010 40mm Attachment: Type 1

63 011 100mm Attachment: Type 1

63 012 100mm Attachment: Type 1

63 013 150mm Attachment: Type 1

● 63 020 65mm Attachment: Type 4

● 63 021 65mm Attachment: Type 5

● 63 024 100mm Attachment: Type 4

● 63 025 100mm Attachment: Type 5

63 002 Pointer (Fits 30mm Tube)

LASERS & LED'S



43 111 Red Laser/LED Foregrip (Weaver)

43 110 Red Laser/LED (Weaver/1 Inch/30mm)

43 100 Red Laser Kit (Weaver/1 Inch)

BIPODS & RESTS



70 001 Fixed Bipod (15-23cm)

70 002 Fixed Bipod (23-33cm)

70 005 Tilt Bipod (15-23cm)

70 006 Tilt Bipod (23-33cm)

70 010 Swivel & Tilt Bipod (15-23cm)

70 011 Swivel & Tilt Bipod (23-33cm)

70 015 Barrel Mounted Bipod (23-28cm)

70 051 PCP Bottle Bipod Adaptor (50mm)

70 052 PCP Bottle Bipod Adaptor (60mm)

70 050 Weaver/Picatinny Bipod Adaptor

70 100 Pro Benchrest



NATURE

SYSTEM H7

UNPARALLELED OPTICAL PERFORMANCE

The ultimate APO, ED and HD optics contained in only our most advanced binoculars. The Best.

SYSTEM H5

IMMERSIVE ED OPTICS

High performance optical system with ED glass. The professional's choice.

SYSTEM H2

REDEFINING VALUE OPTICS

Our premium optics in a wide range of binoculars and scopes. Dependable, Accurate, Affordable.

FRONTIER

BINOCULARS

- FRONTIER APO 54
- FRONTIER ED X 55
- FRONTIER HD X 55

ENDURANCE

BINOCULARS

- ENDURANCE ED 56
- ENDURANCE 57

MONOCULARS

- ENDURANCE ED 57

SPOTTING SCOPES

- ENDURANCE ED 60

NATURE-TREK

BINOCULARS

- NATURE-TREK 58

MONOCULARS

- NATURE-TREK 59

SPOTTING SCOPES

- NATURE-TREK 62

VANTAGE

SPOTTING SCOPES

- VANTAGE 64

ACCESSORIES

- DIGI-SCOPE ADAPTORS 66

- MERCHANDISE 68

FRONTIER SYSTEM H7

All Frontier models feature Hawke's new H7 optics, offering stunning high definition viewing with incredible colour control and phase correction. High performance lens coatings and Dielectric Coated prisms ensure the highest level of light transmission.

The all new Frontier APO offers extreme clarity, flat field vision along with excellent chromatic aberration control for a stunning wide angle image.

APO & ED X models benefit from Extra-low Dispersion glass for controlled chromatic aberration and the elimination of colour fringing.

Extra-low Dispersion glass (APO & ED X only) / Dielectric Coatings / High resolution phase corrected BAK-4 roof prisms / Water repellent lens coatings / Magnesium alloy chassis / Focus from 2m / Replaceable twist-up eye cups with position stops / Stay-on lens covers

Nitrogen purged / Waterproof / Fog proof

Hawke Lifetime Warranty



FRONTIER APO

APO Lenses | ED Glass | Dielectric Coating | Phase Corrected



●	38 510	8×42	Green	FOV: 8.1°	740g
●	38 512	10×42	Green	FOV: 7.1°	740g

FRONTIER ED X

ED Glass | Dielectric Coating | Phase Corrected



	38 405	8×32	Green	FOV: 7.7°	540g
	38 406	8×32	Grey	FOV: 7.7°	540g
	38 407	10×32	Green	FOV: 6.2°	540g
	38 408	10×32	Grey	FOV: 6.2°	540g
	38 410	8×42	Green	FOV: 8.1°	692g
	38 411	8×42	Grey	FOV: 8.1°	692g
	38 412	10×42	Green	FOV: 6.4°	705g
	38 413	10×42	Grey	FOV: 6.4°	705g

FRONTIER HD X

Dielectric Coating | Phase Corrected



	38 005	8×32	Green	FOV: 7.7°	540g
	38 006	8×32	Grey	FOV: 7.7°	540g
	38 007	10×32	Green	FOV: 6.2°	540g
	38 008	10×32	Grey	FOV: 6.2°	540g
	38 010	8×42	Green	FOV: 8.1°	692g
	38 011	8×42	Grey	FOV: 8.1°	692g
	38 012	10×42	Green	FOV: 6.4°	705g
	38 013	10×42	Grey	FOV: 6.4°	705g

ENDURANCE SYSTEM H5

Stunning optics providing crisp, clear and bright images with enhanced light transmission.

Endurance models benefit from our System H5 optics. ED glass is utilised to reduce colour fringing. The Fully Multi-Coated lenses provide high resolution images which ensure no details are lost when viewing at distances down to 2m.

Effortless focusing and impressive depth of field makes these binoculars quick and easy to use. Water and fog proof with a high grip rubber coated body, Endurance is designed to battle the elements.

Extra-low Dispersion glass (ED models) / High resolution phase corrected BAK-4 roof prisms / Focus from 2m / Twist-up eye cups with position stops / Stay-on lens covers

Nitrogen purged / Waterproof / Fog proof

Hawke Lifetime Warranty



ENDURANCE ED

ED Glass | Phase Corrected



36 200	8×32	Black	FOV: 7.7°	635g
36 201	8×32	Green	FOV: 7.7°	635g
36 202	10×32	Black	FOV: 6.4°	635g
36 203	10×32	Green	FOV: 6.4°	635g
36 204	8×42	Black	FOV: 7.6°	705g
36 205	8×42	Green	FOV: 7.6°	705g
36 206	10×42	Black	FOV: 6.3°	705g
36 207	10×42	Green	FOV: 6.3°	705g
36 208	10×50	Black	FOV: 6°	805g
36 209	10×50	Green	FOV: 6°	805g
36 210	12×50	Black	FOV: 5.2°	805g
36 211	12×50	Green	FOV: 5.2°	805g

ENDURANCE ED COMPACT

ED Glass | Phase Corrected



36 110	8×25	Green	FOV: 6.8°	310g
36 111	10×25	Green	FOV: 5.5°	315g

ENDURANCE ED MONOCULAR

ED Glass | Phase Corrected



36 310	8×25	Green	FOV: 6.8°	150g
36 311	10×25	Green	FOV: 5.5°	152g
36 320	8×42	Green	FOV: 7.4°	320g
36 321	10×42	Green	FOV: 5.8°	325g

ENDURANCE

Phase Corrected



36 220	8×56	Green	FOV: 6.7°	1005g
--------	------	-------	-----------	-------

NATURE-TREK SYSTEM H2

An extensive range of binoculars in several configurations.

The Nature-Trek family utilises our System H2 optics produced in a shock resistant polycarbonate body, providing a robust yet lightweight package. The high grip rubber armour ensures a secure hold in all weather conditions.

Optics are crisp and clear with notable natural colour reproduction. The precise focusing wheel allows focussing down to 2m.

Nature-Trek offers a complete range of binoculars from the very portable 25mm models up to the oversized 50mm models, ideally suited to low light conditions where a large exit pupil diameter is required.

Nitrogen purged / Waterproof / Fog proof

Hawke Lifetime Warranty



NATURE-TREK

Fully Multi-Coated



35 100	8×32	Green	FOV: 7.4°	521g
35 101	10×32	Green	FOV: 5.8°	521g
35 102	8×42	Green	FOV: 7.4°	638g
35 103	10×42	Green	FOV: 5.8°	638g
35 104	10×50	Green	FOV: 5.8°	829g
35 105	12×50	Green	FOV: 4.7°	829g

NATURE-TREK COMPACT

Fully Multi-Coated



35 051	8×25	Green	FOV: 6.8°	295g
35 053	10×25	Green	FOV: 5.5°	295g

NATURE-TREK MONOCULAR

Fully Multi-Coated



35 210	8×25	Green	FOV: 6.8°	145g
35 211	10×25	Green	FOV: 5.5°	147g
35 220	8×42	Green	FOV: 7.4°	315g
35 221	10×42	Green	FOV: 5.8°	320g

ENDURANCE SYSTEM H5

Endurance ED spotting scopes provide the performance to get close to the action and the durability you demand.

All magnifications are constructed with ED glass reducing the potential for chromatic aberration. ED glass controls colour fringing and allows an improvement in clarity and crispness of the image, highly recommended by nature enthusiasts.

All lenses are Fully Multi-Coated and prisms Dielectric Coated for increased reflectivity. Endurance scopes feature a dual focus knob (coarse and fine), 3x ratio eyepieces with twist-up eye cups and retractable sunshades.

Choose from a range of full size scopes with 85mm or 68mm objectives or the compact design with 60mm or 50mm objectives.

All scopes are supplied with lens covers and stay-on soft cases.

Nitrogen purged / Waterproof / Fog proof

Hawke Lifetime Warranty



ENDURANCE ED

ED Glass | Dielectric Coating



● 56 200	16-48x68	FOV: 2.5-1.2°	1490g
● 56 203	25-75x85	FOV: 1.7-0.9°	1825g

56 203 SHOWN

ENDURANCE ED COMPACT

ED Glass | Dielectric Coating



● 56 193	13-39x50	FOV: 3.3-1.7°	830g
● 56 194	15-45x60	FOV: 2.8-1.5°	895g

56 193 SHOWN

NATURE-TREK SYSTEM H2

The Nature-Trek spotting scope family offers exceptional optical performance in a lightweight and waterproof modern design. A Fully Multi-Coated optical system combined with BAK-4 Porro prisms produce extremely clear and sharp images.

The 65mm and 80mm optical systems have been optimised for maximum performance while keeping the scope body short in length making them ideal for hiking and travel. Featuring a rotating tripod band, retractable sunshade and stay-on cover for protection.

The new ultra compact 56mm features barrel focussing with twist-up eye piece, delivering 27x magnification in a scope the size of your hand. Supplied with neoprene stay-on case.

Nitrogen purged / Waterproof / Fog proof

Hawke Lifetime Warranty



NATURE-TREK

Fully Multi-Coated



55 200	16-48x65	FOV: 2.6-1.4°	1185g
55 201	20-60x80	FOV: 2.1-1.1°	1365g

55 201 SHOWN

NATURE-TREK COMPACT

Fully Multi-Coated



● 55 210	9-27x56	FOV: 4.5-2.1°	575g
----------	---------	---------------	------

VANTAGE

Vantage spotting scopes are supplied with everything you need to get started. Available in a choice of 24-72× or 20-60× magnification, Vantage spotting scope kits are designed to enhance your viewing pleasure.

The tough rubber coating provides a waterproof body. Both Vantage spotting scopes are supplied with a hard storage case, soft scope cover and an adjustable mini tripod with integrated window mount.

Nitrogen purged / Waterproof / Fog proof

Hawke Lifetime Warranty

VANTAGE

Fully Multi-Coated



51 100	20-60×60	FOV: 2.2-1°	795g
51 101	24-72×70	FOV: 1.6-0.8°	1045g

51 101 SHOWN

ACCESSORIES

Improve your optics with official accessories from Hawke.

See hawkeoptics.com for dimensions and compatibility.



DIGI-SCOPE ADAPTORS



- 64 021 Endurance ED 68mm

- 64 026 Endurance ED 85mm & Nature-Trek 65/80mm

- 64 025 Nature-Trek Compact 56mm

- 64 024 Compact Camera - Small Ocular

- 64 027 Compact Camera - Large Ocular

SLR T2 CAMERA ADAPTORS



- 64 000 Nikon

- 64 001 Canon EOS

- 64 002 Pentax K

- 64 003 Minolta Maxxum

- 64 004 Sony Alpha

- 64 007 Olympus Micro 4/3

- 64 008 Fuji

- 64 010 Sony NEX-E

TRIPODS



- 64 102 Adjustable (26-34cm)

- 64 103 Compact (24cm)

- 64 104 Binocular Tripod Mount

- 64 105 Spotting Scope Balance Plate

MERCHANDISE

Look cool, keep warm with our range of hats.

HATS



- 99 300 Black/Grey Distressed Cap
- 99 301 Grey/Orange Distressed Cap
- 99 302 Grey/Pink Distressed Cap
- 99 320 Black Cotton Twill Cap
- 99 321 Orange Cotton Twill Cap
- 99 322 Realtree Camp Cotton Twill Cap
- 99 360 Green Ripstop Cap
- 99 340 Black Fleece Beanie
- 99 341 Grey Waffle Knit Beanie

● ● ● ● new products

further information available at hawkeoptics.com



99009

EUROPE | REST OF WORLD

Avocet House, Wilford Bridge Road,
Melton, Woodbridge, Suffolk IP12 1RB, UK

t: +44 345 345 5555

e: export@hawkeoptics.com



www.hawkeoptics.com

 Born in the UK