



SPORT OPTICS 2021



TABLE OF CONTENTS

LASER RANGEFINDERS

LASER 50/LASER 30	4
PROSTAFF 1000/1000i	5
COOLSHOT GOLF	6-7
FORESTRY PRO	8
LASERFORCE RANGEFINDER BINOCULAR	9

BINOCULARS

FINDING THE PERFECT BINOCULAR	10-11
MONARCH HG	12-13
MONARCH 7-5	14-15
PROSTAFF 7S-5-3S	16-17
ACULON	18-19
MARINE	20-21
COMPACT	22-25
SPECIALTY	26-27

FIELDSCOPES

MONARCH	28-29
PROSTAFF 5-3	30-31
FIELDSCOPE 50MM ED	32

ACCESSORIES/CLEANING

TREX™ OPTICS CARRY SYSTEM	33
GEAR/CLEANING ACCESSORIES	34

FEATURE & PERFORMANCE

ICON KEY	35
----------	----

FRONT/BACK COVERS & INSIDE FRONT COVER IMAGES COURTESY OF AWILDCONNECTION.COM

OPTICS FIRST SINCE 1917



The guiding principle behind every Nikon product has always been to engineer it from the inside out. By creating an optical system specific to the function of each product, Nikon can better match the product attributes specifically to the needs of the user. The result is what we call our "Optics First Design Principle," and it applies to every optic Nikon makes.

As one of the few makers of optical glass in the world, Nikon has a unique advantage of having the knowledge and experience to specify and select the exact type of glass, lens geometry and multicoatings needed to optimize the performance of any given optic. This level of performance can be seen and appreciated when putting any Nikon optic to the test in real world conditions.

FEATURE AND PERFORMANCE ICONS



Throughout the pages of this catalog, feature and performance icons are used to help in comparing and selecting the right product for your intended use. See inside back cover for detailed descriptions for each.



LIFETIME LIMITED WARRANTY:
Nikon's Lifetime Limited Warranty applies to the optical system components of Nikon Binoculars, Rangefinding Binoculars and Fieldscopes, which optical system components are warranted by Nikon to be free from defects in material and workmanship for the lifetime of the product from the date of purchase by the original consumer purchaser from a Nikon authorized dealer.



5-YEAR RANGEFINDER LIMITED WARRANTY:
If any Nikon rangefinder is found to have defects in workmanship or materials, we will, at our option, repair or replace it at no charge for a period of 5 years from date of purchase. Please see warranty card for limitations and exclusions.

For details, visit NikonUSA.com.



MULTI-USE LASER RANGEFINDERS

PHOTO: AWILDCONNECTION.COM

LASER 50 LASER 30

RANGE WITH CONFIDENCE.

The Laser 50 and Laser 30 are 6x compact waterproof Laser Rangefinders. The Laser 50 provides you with a 2,000 yard maximum, while the Laser 30 gives you a 1,600 yard maximum. When knowing distance is critical to what you do, whether work or play, the Laser 50 and Laser 30 measure up. Both Rangefinders are ergonomically designed to fit your hand as well as fit your work needs and lifestyle.

- MULTILAYER COATING
- WIDE FIELD OF VIEW
- LONG EYE RELIEF
- WATERPROOF
- NITROGEN PURGED
- OLED DISPLAY



- ID TECHNOLOGY
- HYPER READ
- TRU TARGET



All Nikon products include Nikon Inc. limited warranty. Nikon Authorized Dealers and Resellers set their own selling prices, which may vary.

	MAG. OBJ DIA.	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 100 YARDS (FT)	MAX RANGE (REFLECTIVE)*(YDS)	MAX RANGE (TREE)*(YDS)	WEIGHT (W/O BATTERIES) (OZ)	SIZE (LxHxW) (IN)	SRP
NEW LASER 50	6x21	18.0	7.5	39.3	2,000	1,500	6.3	4.3x1.6x2.9	\$449.95
NEW LASER 30	6x21	18.0	7.5	39.3	1,600	1,250	6.2	3.8x2.9x1.7	\$349.95

* Under Nikon's measurement conditions and reference values. The specifications of the product may not be achieved depending on the target object's shape, surface texture and nature, and/or weather conditions.

TRU-TARGET TECHNOLOGY

Enables you to choose between two different ranging modes, depending on the situation.



MONARCH 2000 OLED display shown

First Target Priority Mode

Provides the exact distance to the closest object among a group of targets being measured. In this mode, you can easily range an object as small as a fence post.



PROSTAFF 1000 & 1000i display shown

Distant Target Priority Mode

Displays the range of the farthest target among a group of targets measured. This feature is especially useful if the object is located behind tall grass or brush.



- MULTILAYER COATING
- LONG EYE RELIEF
- ID TECHNOLOGY
- TRU TARGET




PROSTAFF 1000

- MULTILAYER COATING
- LONG EYE RELIEF
- TRU TARGET

PROSTAFF 1000i

CONSISTENCY MEETS COMPACT ERGONOMICS

The PROSTAFF 1000 and PROSTAFF 1000i Laser Rangefinders put a solid 1,000-yard maximum ranging capability into your hand, together with compact ergonomics that will fit your pocket. Tru-Target system allows you to select either First Target or Distant Target Priority. Weather resistant/ rainproof construction. The PROSTAFF 1000i model also features ID (Incline/Decline) Technology—with a Horizontal Distance/ Actual Distance display mode that can be easily switched.



ID [INCLINE/DECLINE] SLOPE TECHNOLOGY

Nikon's advanced ID [Incline/Decline] Slope Technology provides the horizontal distance to the target, even when ranging at various incline or decline angles—up to an incredible +/- 89 degrees [nearly vertical up or down].



All Nikon products include Nikon Inc. limited warranty. Nikon Authorized Dealers and Resellers set their own selling prices, which may vary.

PROSTAFF 1000i	MAG. OBJ DIA.	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 100 YARDS (FT)	MAX RANGE (REFLECTIVE)*(YDS)	MAX RANGE (TREE)*(YDS)	WEIGHT (W/O BATTERIES) (OZ)	SIZE (LxHxW) (IN)	SRP
16663	6x20	16.7	6	31.4	1,000	800	4.6	3.6x2.9x1.5	\$199.95
PROSTAFF 1000	MAG. OBJ DIA.	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 100 YARDS (FT)	MAX RANGE (REFLECTIVE)*(YDS)	MAX RANGE (TREE)*(YDS)	WEIGHT (W/O BATTERIES) (OZ)	SIZE (LxHxW) (IN)	SRP
16664	6x20	16.7	6	31.4	1,000	800	4.6	3.6x2.9x1.5	\$169.95

* Under Nikon's measurement conditions and reference values. The specifications of the product may not be achieved depending on the target object's shape, surface texture and nature, and/or weather conditions. The technology behind the Laser Rangefinder with inclinometer originated from technology incorporated in Nikon's Total Station DTM-1 surveying instrument. The Total Station DTM-1, first sold in 1985, was the first highly advanced electronic model of those surveying instruments that incorporated a distance and angle measuring capability developed by Nikon Corporation.



COOLSHOT GOLF LASER RANGEFINDERS




COOLSHOT PRO STABILIZED

UNSHAKABLE IS UNBEATABLE!

At the heart of the COOLSHOT PRO STABILIZED is Nikon's optical stabilization system, designed to reduce vibrations caused by hand movements (by approx. 80%*) while simultaneously aligning the viewed image with the activated laser beam for faster, more precise – more confident ranging.



All Nikon products include Nikon Inc. limited warranty. Nikon Authorized Dealers and Resellers set their own selling prices, which may vary.



LOCKED ON Technology Confirms Measurement to Flagstick

The LOCKED ON Technology green circle visually tells you that the distance is to the closest subject, the flagstick, not the background.


- MULTILAYER COATING
- WIDE FIELD OF VIEW
- LONG EYE RELIEF
- WATERPROOF
- NITROGEN PURGED
- OLED DISPLAY



- ID TECHNOLOGY
- STABILIZED
- HYPER READ
- TRU TARGET



Unstable View



Stable View



HYPER READ Technology

Providing quick and stable measurement response, regardless of the distance. Approximately 0.3 seconds for the COOLSHOT PRO STABILIZED. This allows you to get quick readings to various points on your approach, keeps up the pace of play and gives you more time for the right shot.


* The effect of STABILIZED: Vibrations of the image in the viewfinder caused by hand movement (sinusoidal waves) are reduced to approx. 1/5 or less. (Based on Nikon's measurement standards)



- MULTILAYER COATING
- LONG EYE RELIEF
- ID TECHNOLOGY
- TRU TARGET



- MULTILAYER COATING
- LONG EYE RELIEF
- TRU TARGET



ID Slope Technology Helps You Choose the Right Club

When ID Slope Technology mode is selected, COOLSHOT PRO STABILIZED and COOLSHOT 20i GII display the slope-adjusted distance (Horizontal distance ± Height), which becomes your guide for how far you should hit the ball.



All Nikon products include Nikon Inc. limited warranty. Nikon Authorized Dealers and Resellers set their own selling prices, which may vary.

COOLSHOT 20i GII

PREPARE FOR ANY SHOT. ANY ANGLE.

The COOLSHOT 20i GII golf laser rangefinder provides incredibly fast, accurate distance measurements for every shot—even those involving slope (elevation changes). Featuring Nikon's ID Slope Technology for stress-free club selection when facing a shot with elevation change, COOLSHOT 20i GII eliminates second-guessing on how far uphill or downhill a shot will play.

COOLSHOT 20 GII

MORE DISTANCE FOR YOUR GAME.

With eight seconds of single or continuous measurement and First Target Priority to separate the flagstick from the background, the COOLSHOT 20 GII enables easy distance assessment to bunkers, fairway ends, dogleg corners and ultimately the flagstick. This compact, lightweight rangefinder now packs an even more powerful punch.

MODEL	MAG. OBJ DIA.	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 100 YDS (FT)	MAX RANGE*(YDS)	MAX RANGE (FLAG STICK)*(YDS)	WEIGHT (W/O BATTERIES) (OZ)	SIZE (LxHxW) (IN)	SRP
COOLSHOT PRO 16555	6x21	18.0	7.5	39.3	1,200	500	6	3.8x2.9x1.7	\$449.95
COOLSHOT 20i GII 16666	6x20	16.7	6.0	31.4	800	300	4.6	3.6x2.9x1.5	\$229.95
COOLSHOT 20 GII 16667	6x20	16.7	6.0	31.4	800	300	4.6	3.6x2.9x1.5	\$199.95

* Under Nikon's measurement conditions and reference values.



FORESTRY PRO II LASER RANGEFINDER

Forestry Pro II

COMPACT PERFORMANCE FOR FORESTRY, UTILITY & CONSTRUCTION

Forestry Pro II becomes a go-to tool for foresters, utility and construction contractors. Forestry Pro II measurement functionality includes the ability to measure actual distance; horizontal distance; height; angle and both the difference in height between two targets (vertical separation) and three-points measurements (the height between two points).

TWO-POINTS MEASUREMENT

(Height between two points)

The Forestry Pro II's two-point measurement function can be used to measure the height of a tree or utility pole when both the top and base are visible. Simply aim at the top of the subject and press the button to measure, then do the same at the base - the height between the two points will be displayed in both the integral monocular display and on the external LCD.

THREE-POINTS MEASUREMENT

(Angle calculations for height between two points)

If the top/merchantable height and/or base of the tree or structure is not visible, Forestry Pro II provides a three-point measurement mode that calculates the horizontal distance to the tree, then measures the angles to the top and base to calculate the height between the two points.



MULTILAYER COATING



WIDE FIELD OF VIEW



LONG EYE RELIEF



WATERPROOF



NITROGEN PURGED



HR HYPER READ

TRU TARGET

8-SECOND SUSTAINED MEASUREMENT

MULTI-FUNCTIONAL DISPLAY WITH BACKLIGHTING

LOGS 250 MEASUREMENTS IN YARDS, METERS OR FEET

1st

First Target Priority displays the distance of the closest subject — useful when targeting a tree in front of a forest background.

Dst

Distant Target Priority displays the distance of the farthest subject — useful when targeting a tree deep in the forest.

TARGET PRIORITY MODE

The Forestry Pro II's Target Priority system is capable of reliably picking up and ranging extremely small or thin targets such as distant power lines and small branches.

FULLY MULTICOATED OPTICS



ED GLASS



LONG EYE RELIEF



WATERPROOF

NITROGEN PURGED

TRIPOD ADAPTABLE

OLED DISPLAY

ID TECHNOLOGY

LaserForce

ONE MILE OF INSTANT GRATIFICATION

Combine Nikon binocular performance with the extreme speed and ranging technology of a 1900-yard laser rangefinder* and you have LaserForce, Nikon's 10x42 Rangefinder Binocular. Quite simply, LaserForce is the single optic solution for those who depend on both their binocular for picking out distant subjects and their rangefinder for getting the exact distance without taking eyes away from the target.

Turn and Slide Eyecups

Allow users to adjust the eye-relief for a custom fit—providing a full field of view and maximum comfort during extended periods of use.



Rangefinder Binocular with 10-1,900 yard range*

Maximum measurement distance* Reflective Target - 1,900 yards

Maximum measurement distance* Tree - 1,400 yards

Bright OLED Display

High visibility red display provides ideal contrast on distant targets. 4-step intensity adjustment.

FORESTRY PRO II	MAG. OBJ.DIA.	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 100 YARDS (FT)	MAX RANGE (REFLECTIVE)* (YDS)	MAX RANGE (TREE)* (YDS)	WEIGHT (W/O BATTERIES) (OZ)	SIZE (LxHxW) (IN)	SRP
16703	6x21	18.0	7.5	39.3	1,750	1,200	6.0	4.3x2.9x1.7	\$449.95

*Under Nikon's measurement conditions and reference values.



All Nikon products include Nikon Inc. limited warranty. Nikon Authorized Dealers and Resellers set their own selling prices, which may vary.

LASERFORCE	FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	MAX REFLECTIVE RANGE* (YDS)	CLOSE FOCUS (FT)	WEIGHT (W/O BATTERIES) (OZ)	SIZE (LxWxH) (IN)	SRP	
16212	10x42 RF Bino	BLACK	16.7	6.1	320	1,900	23	30.9	5.8x5.2x2.8	\$1,199.95

*Under Nikon's measurement conditions and reference values.



FINDING THE PERFECT OPTIC TO FIT YOUR NEEDS

You're about to find what a difference quality optics can make in the appreciation and intensity of every rare, special—and even daily—viewing experience you encounter.

Widely acknowledged as the global leader in precision optics, Nikon's roots go back to the development of our first binoculars in 1917. Since then, Nikon has continued to build on the know-how of generations of optical and precision technology experts with an enduring passion for quality and innovation. Day in and day out, our products are tested in the world's most demanding environments. Using Nikon cameras and NIKKOR lenses, photographers around the globe capture moments that no one could otherwise envision.

While Nikon engineers of semiconductor-manufacturing equipment employ our optics to create the world's most precise instrumentation. For Nikon, delivering a peerless vision is second nature, strengthened over the decades through constant application. At Nikon Sport Optics, our mission is not just to meet your demands, but to exceed your expectations.

SELECTING A BINOCULAR

Whatever your intended use, make sure your binocular choice fits your hands.

BIRD WATCHING/NATURE WATCHING

RIGHT MAGNIFICATION FOR THE LOCATION

We recommend magnification of 8x to 10x for woods and forests, 8x to 12x for lakes, marshes and tidelands.

LARGE EFFECTIVE DIAMETER OF THE OBJECTIVE LENS

The larger the effective diameter of the objective lens, the brighter the image and the higher the resolution are obtained.

WIDE FIELD OF VIEW

Allows you to view a wider area all at once, making it easier to follow the movements of birds.

HIGH PERFORMANCE OPTICAL SYSTEM

For more pleasant viewing, choose binoculars with fully multicoated optics and phase correction prism coatings that produce a sharp image and minimized distortion all the way to the lens periphery.

WATERPROOF

There is no need to worry about your binoculars when there is sudden rainfall or when you use them in morning dew.

WILDLIFE VIEWING

Generally higher powers are preferred (10x) for detail reproduction and Twilight Factor.

Large exit pupil, ruggedness, water proofing.

OUTDOORS/HIKING/ BACKPACKING/CAMPING

Rugged outdoor activities demand portability and durability. Compacts, both Porro Prism and Roof Prism, fit this usage.

Models that also feature rubber armor coating and waterproofing are ideal when you're up against the elements. For early morning and evening use, binoculars with a large objective diameter and full Multicoating are recommended.

TRAVEL, INCLUDING CRUISE SHIPS

RIGHT MAGNIFICATION FOR THE SITUATION

If outdoor nature watching is what you're after, we recommend magnification of 8x to 10x.

For viewing the scenery or distant buildings, we recommend lower magnifications.

Zoom binoculars come in handy if you want to see objects both near and far.

COMPACT, LIGHTWEIGHT AND EASY-TO-CARRY BINOCULARS FOR TRAVELING

For easy portability, we recommend compact, lightweight binoculars that can be easily stuffed into bags or pockets when you are on the move and quickly pulled out when you want to use them.

WATERPROOF FOR OUTDOOR USE

There is no need to worry about your binoculars when there is a spray of water or sudden rainfall.

SPORTING EVENTS

RIGHT MAGNIFICATION FOR THE SITUATION

For outdoor spectator sports, we recommend magnification of 8x to 12x. For indoor spectator sports, it's best to have magnification of 4x to 8x, or magnification of 8x to 10x for larger arenas.

WIDE FIELD OF VIEW FOR FAST-MOVING ACTION

For spectator sports that involve rapid motion, we recommend wide field-of-view binoculars and/or a lower magnification of 8x that allow you to view a wider area all at once.

Binoculars with high optical performance allow you to see even facial expressions clearly.

WATERPROOF FOR OUTDOOR USE

There is no need to worry about your binoculars when there is sudden rainfall.

COMPACT, LIGHTWEIGHT AND EASY-TO-CARRY BINOCULARS

It's handy to have compact, lightweight binoculars that can be easily stuffed into bags or pockets when you are on the move and quickly pulled out when you want to use them. With lightweight binoculars, you can minimize the strain on your arms when using them for extended periods.

CONCERTS/THEATER

RIGHT MAGNIFICATION FOR THE SITUATION

For outdoor concerts, we recommend magnification of 7x to 10x. For concert halls, we recommend magnification of 4x to 8x. If you want to enjoy everything from the entire stage to the artists' facial expressions, zoom binoculars are a great choice.

For the theater, we recommend compact, lightweight binoculars with magnification of 4x to 8x.

WIDE FIELD OF VIEW FOR FAST-MOVING ACTION

For concerts, we recommend wide field-of-view binoculars to see a wider area all at once.

BRIGHT VIEW FOR NIGHT CONCERTS

Night performances and concerts are fairly dark, so we recommend binoculars with a larger exit pupil that offer a bright view.

Binoculars with high optical performance allow you to see even facial expressions clearly.

COMPACT, LIGHTWEIGHT AND EASY-TO-CARRY BINOCULARS

It's handy to have compact, lightweight binoculars that can be easily stored in bags or pockets. With lightweight binoculars, you can minimize the strain on your arms when using them for extended periods.

MUSEUMS

For museums, choose compact lightweight models with a low magnification and a close focusing distance of less than 2 meters/6 feet.

BOATING/FISHING AND NAVIGATION

Waterproofing and durability are essential for these activities. Generally speaking, a large Exit Pupil is also a requirement, even during daylight operation. This is because the movement of the boat can change the alignment of the user's pupil to the image being formed by the binocular. Having a large image (Exit Pupil) allows for some movement with less shading/loss of brightness.

ASTRONOMY/STAR GAZING

For astronomical observation, a bright optical system with a large objective diameter and exit pupil has generally been recommended. This is to gather and deliver more light to the eye.

However, if you view stars in an urban area where the sky is quite bright because of light pollution, you are looking at pinpoints of light, which will be naturally bright. Gathering too much light will cause the dark sky to appear grey, reducing the contrast between the subject and the background. A high magnification optic helps in this situation. However, in a dark sky, a larger exit pupil is recommended.

Tripod mountable, for both high-power stabilization and extended viewing, is also important, as is ED Glass to control the color fringing around bright objects.



MONARCH HG BINOCULARS

PHOTO: AWILDCONNECTION.COM



THE MOST AWARDED MONARCH. EVER.

Every precious moment you spend in the field deserves the advantage of extraordinary performance. The MONARCH HG 42mm and 30mm models are award-winning* instruments, delivering class-ruling optical performance, unrivaled ruggedness and exceptional handling. Engineered throughout to closely match performance specifications of both 42mm and 30mm models alike.

*MONARCH HG 42mm earned Field & Stream Magazine's Best of the Best and Best of the Test awards for 2017. MONARCH HG 30mm claimed Outdoor Life Magazine's Editor's Choice Award for 2019.

- FULLY MULTICOATED OPTICS
- WIDE FIELD OF VIEW
- ARMOR LENS COATING
- ED GLASS
- LONG EYE RELIEF
- FIELD FLATTENER



42mm



30mm

MONARCH HG

- DIELECTRIC HIGH REFLECTIVE MULTILAYER COATING
- PHASE CORRECTION COATING
- WATERPROOF
- NITROGEN PURGED
- LOCKING DIOPTER
- TRIPOD ADAPTABLE

Flip Down Objective Covers



Turn and Slide Eyecups

Allow users to adjust the eye-relief for a custom fit—providing a full field of view and maximum comfort during extended periods of use.

MONARCH HG	FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
16575	8x30	BLACK	16.2	8.3	435	6.6	15.9 4.7x5	\$949.95
16576	10x30	BLACK	15.2	6.9	362	6.6	15.9 4.7x5	\$969.95
16027	8x42	BLACK	17.8	8.3	435	6.6	23.5 5.7x5.2	\$979.95
16028	10x42	BLACK	17	6.9	362	6.6	24 5.7x5.2	\$999.95



Stronger. Lighter. More Agile.

Because a binocular of this significance must always perform and do so without weighing you down, MONARCH HG's body is die-cast magnesium alloy. Providing optimum strength, impact resiliency and weight reduction, the slim body profile is further enhanced with rubberized panels to provide a sure grip in any conditions.



MONARCH BINOCULARS



EXPERIENCE BETTER GLASS

With its legendary bloodlines and enhanced optical systems, the MONARCH Series of all-terrain binoculars maximizes every hour you spend in the field. With incredibly bright, high-resolution views, each is engineered to perform from the first rays of light until the very last. Every MONARCH binocular utilizes Nikon's renowned ED (Extra-low Dispersion) glass and phase correction prisms with dielectric high reflective multilayer coatings to deliver a level of performance unlike any other. Combined with an inherent ruggedness and unmatched reputation for success, MONARCH will continue to prove itself as the greatest family in the optics.

FULLY MULTICOATED OPTICS



WIDE FIELD OF VIEW



ARMOR LENS COATING
(42mm Models)



ED GLASS



LONG EYE RELIEF



30mm

42mm



DIELECTRIC HIGH REFLECTIVE
MULTILAYER COATING



PHASE CORRECTION COATING



WATERPROOF



NITROGEN PURGED



TRIPOD ADAPTABLE

FULLY MULTICOATED OPTICS



ED GLASS



LONG EYE RELIEF



56mm



DIELECTRIC HIGH REFLECTIVE
MULTILAYER COATING



PHASE CORRECTION COATING



WATERPROOF



NITROGEN PURGED



TRIPOD ADAPTABLE

42mm



Turn and Slide Eyecups

Allow users to adjust the eye-relief for a custom fit—providing a full field of view and maximum comfort during extended periods of use.



Flip Down Objective Covers

Included with MONARCH 5 & MONARCH 7

MONARCH 7

BUILT FOR YOUR GREATEST ADVENTURE

MONARCH 7 not only provides exquisite optical performance in a compact body, but delivers a wide field of view, dynamic handling and rugged performance. There is zero doubt as to the MONARCH 7's long-standing All Terrain Binocular heritage.

MONARCH 5

YOUR JOURNEY AWAITS

With an uncontested heritage of all-conditions optical performance, the MONARCH 5 further elevates its game with improved agility and advanced low light brilliance. Nikon's ED glass lenses help battle darkness with sharp, high-contrast views. The rubber-armored coating provides a non-slip grip in even the toughest environments.

MONARCH 7		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
7579	8x30	BLACK	15.1	8.3	435	6.6	15.3	4.7x4.8	\$379.95
7580	10x30	BLACK	15.8	6.7	351	6.6	15.5	4.7x4.8	\$399.95
7548	8x42	BLACK	17.1	8.0	420	8.2	22.9	5.6x5.1	\$479.95
7549	10x42	BLACK	16.5	6.7	351	8.2	23.3	5.6x5.1	\$499.95
MONARCH 5		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
7576	8x42	BLACK	19.5	6.3	330	8.2	20.8	5.7x5.1	\$279.95
7577	10x42	BLACK	18.4	5.5	288	8.2	21.2	5.7x5.1	\$299.95
7578	12x42	BLACK	15.1	5.0	262	8.2	21.2	5.7x5.1	\$319.95
7583	20x56	BLACK	16.4	3.3	173	16.4	43.6	7.8x5.7	\$899.95



PROSTAFF BINOCULARS



PHOTO: AWILDCONNECTION.COM

PROSTAFF 7s

PERFORMANCE LIVES ON

Nikon's PROSTAFF 7S is a lightweight, easy to hold, all-terrain binocular that features an advanced optical system designed to deliver sharper images. Thanks to fully multicoated lenses and Phase-Correction Coated Roof Prisms, every model in the PROSTAFF 7S—in 42mm and 30mm objective configuration—provides the quality, brightness and resolution that make it the perfect accessory for virtually any outdoor activity.



42mm

30mm

- FULLY MULTICOATED OPTICS
- LONG EYE RELIEF
- PHASE CORRECTION COATING
- WATERPROOF
- NITROGEN PURGED
- TRIPOD ADAPTABLE (42mm Model only)

Available Colors



PROSTAFF 7s		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
16000	8x30	BLACK	15.4	6.5	341	8.2	14.6	4.7x4.8	\$189.95
16001	10x30	BLACK	15.4	6.0	314	8.2	14.8	4.7x4.8	\$199.95
16002	8x42	BLACK	19.5	6.8	356	13.1	22.9	6.6x5.1	\$189.95
16003	10x42	BLACK	15.5	6.2	325	13.1	22.8	6.5x5.1	\$199.95
16642	10x42	TrueTimber® KANATI	15.5	6.2	325	13.1	22.8	6.5x5.1	\$219.95

MULTILAYER COATING



LONG EYE RELIEF



WATERPROOF



NITROGEN PURGED

PROSTAFF 5

PASSION FOR WHAT'S AHEAD

When conditions are at their worst, PROSTAFF 5 Binoculars can be trusted to still give you the vision you demand. PROSTAFF 5 Binoculars feature superb optics, ergonomic design and waterproof, fogproof performance.

MULTILAYER COATING



WIDE FIELD OF VIEW (10x42 Model)



LONG EYE RELIEF



SILVER PRISM COATING



WATERPROOF



NITROGEN PURGED

PROSTAFF 3s

EYES FOR ADVENTURE

The PROSTAFF 3S binocular lives up to its namesake with bright, multicoated optics, wide field of view, long eye relief, and waterproof/fogproof performance. Notably lightweight and compact, the PROSTAFF 3S is a standout binocular for those looking for rugged-yet-portable optics worthy of any adventure.



Turn and Slide Eyecups

Allow users to adjust the eye-relief for a custom fit—providing a full field of view and maximum comfort during extended periods of use.

PROSTAFF 5		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
7572	10x50	BLACK	19.6	5.6	293	16.4	28.7	7.4x5.5	\$199.95
7573	12x50	BLACK	15.5	4.7	246	16.4	27.9	7.4x5.5	\$219.95

PROSTAFF 3s		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
16030	8x42	BLACK	20.2	7.2	377	9.8	19.9	6x5.1	\$129.95
16031	10x42	BLACK	15.7	7.0	367	9.8	20.3	5.9x5.1	\$139.95



ACULON BINOCULARS



ACULON A211

ACULON A211 binoculars feature multilayer-coated optics to deliver a high quality image under a multitude of lighting conditions. These binoculars have a central focus knob, a fully rubber armored body, and turn-and-slide rubber eyecups to simplify use with eyewear.



10-22x50 ZOOM

42mm

TURN & SLIDE EYECUPS

Perfect for use with or without eyeglasses.

SMOOTH CENTRAL FOCUS

Makes sharp focus simple.

ASPHERICAL EYEPIECE LENSES

Offer flat viewing field. (Except Zoom Model.)

RUBBER ARMOR

Provides a good grip, wet or dry.

MULTILAYER COATING

Multilayer-coated lenses for brighter images.

SMOOTH CENTRAL FOCUS

Makes sharp focus simple.

MULTILAYER COATING

Multilayer-coated lenses for brighter images.



Available Colors

SMOOTH CENTRAL FOCUS

Makes sharp focus simple.

MULTILAYER COATING

Multilayer-coated lenses for brighter images.



Turn and Slide Eyecups


Allow users to adjust the eye-relief for a custom fit—providing a full field of view and maximum comfort during extended periods of use.

TURN & SLIDE RUBBER EYECUPS

Perfect for use with or without eyeglasses.

COMPACT ROOT PRISM DESIGN

Fits into pocket or pack.



Available Colors



ACULON T02

	FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
16730	8x21 BLUE	10.3	6.3	330	9.8	6.9	3.4x4.1	\$69.95
16734	8x21 WHITE	10.3	6.3	330	9.8	6.9	3.4x4.1	\$69.95
16735	10x21 BLACK	8.3	5.0	262	9.8	6.9	3.4x4.1	\$69.95

ACULON A30

8263	10x25 BLACK	13	5.0	262	9.8	9.7	4.8x4.5	\$69.95
16641	10x25 TrueTimber® KANATI	13	5.0	262	9.8	9.7	4.8x4.5	\$79.95

ACULON T02

The new ACULON T02 is a highly compact roof prism binocular that becomes the ideal take-along for sporting events, concerts, theater, travel and more. Turn-and-slide rubber eyecups simplify use with or without eyewear and option of blue, white or black body color allows you to choose the model that best suits your personal taste.

ACULON A30

A compact, lightweight roof prism binocular that is perfect for the adventure where you need to pack light. A smooth central focus knob and dual-hinge design are among its features. Available in 10x25 magnification, in black or TrueTimber® KANATI.

ACULON A211		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
8244	7x35	BLACK	11.8	9.3	488	16.4	24.2	4.6x7.3	\$79.95
8245	8x42	BLACK	12	8.0	420	16.4	26.6	5.7x7.3	\$89.95
8246	10x42	BLACK	11.6	6.0	314	16.4	26.8	5.7x7.3	\$99.95
8247	7x50	BLACK	17.6	6.4	335	26.2	31.9	7.1x7.8	\$109.95
8248	10x50	BLACK	11.8	6.5	341	23	31.7	7x7.8	\$119.95
8249	12x50	BLACK	11.5	5.2	272	26.2	32.1	7x7.8	\$129.95
8250	16x50	BLACK	12.6	4.2	220	29.5	32.6	7x7.8	\$139.95
8252	10-22x50 Zoom*	BLACK	8.6@10x	3.8	199@10x	49.2@10x	33.9	7.8x7.8	\$179.95

* Includes free Tripod Adapter



MARINE BINOCULARS




PHOTO: AWILDCONNECTION.COM

BINOCULARS FOR THE WATER

Fishermen, boaters and mariners of every description should have at least one binocular on board their vessel. Whether you're exploring the flats for surface disturbances on a calm morning of tarpon fishing, checking out the tackle setup of the boat getting all the action or looking for a distant navigation marker, a 7x50 marine binocular is your ticket. Nikon's OceanPro binocular, with integral global compass, is designed for use in both Northern Hemisphere and Southern Hemisphere locations and features 7x magnification and 50mm objectives, to provide optimum viewing even in rough water.

MULTILAYER COATING 

LONG EYE RELIEF 



 WATERPROOF

 NITROGEN PURGED

 TRIPOD ADAPTABLE

Action EX

RUGGED ALL-TERRAIN BINOCULARS

The Action Extreme is a Porro prism with the waterproof and fogproof attributes of other Nikon All Terrain Binoculars. Nikon's lead-and-arsenic-free lenses and prism systems result in a high quality glass that is also lighter in weight. Each model features quick central focus knob, rubber armored body and multi-click turn-and-slide eyecups.


OCEANPRO



 WATERPROOF

 NITROGEN PURGED

 TRIPOD ADAPTABLE



Compass Display

MULTILAYER COATING 

LONG EYE RELIEF 

OCEANPRO CF WP		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
7440	7x50	BLACK	22.7	7.2	378	33	38	7.6x8.0	\$249.95
16026	7x50 Global Compass	BLACK	22.7	7.2	377	33	39.9*	7.6x8.0	\$299.95
ACTION EXTREME		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
7237	7x35	BLACK	17.3	9.3	488	16.4	28.2	4.7x7.2	\$129.95
7238	8x40	BLACK	17.2	8.2	430	16.4	30.2	5.5x7.4	\$149.95
7239	7x50	BLACK	17.1	6.4	335	23.0	35.3	7.0x7.7	\$159.95
7245	10x50	BLACK	17.2	6.5	341	23.0	36.0	7.0x7.7	\$179.95
7246	12x50	BLACK	16.1	5.5	288	23.0	36.9	7.0x7.7	\$189.95
7247	16x50	BLACK	17.8	3.5	183	23.0	36.7	7.0x7.7	\$219.95

*Weight without batteries.



COMPACT BINOCULARS

PHOTO: AWILDCONNECTION.COM



SEE WHERE IT TAKES YOU

Experienced adventurers know that a good compact is worth its weight in gold. When every ounce counts, Nikon's Compacts give you the resolution to pick out a bird from tree branches and glass big areas with ease.

WATERPROOF
O-ring sealed to prevent moisture from entering body.

FOGPROOF
Nitrogen purged for total reliability against thermal shock.

MULTILAYER COATING
Multilayer-coated lenses for brighter images.



SMOOTH CENTRAL FOCUS KNOB
Fast range of focus for quick viewing.

LONG EYE RELIEF
Provides 15mm or more of eye relief (12mm+ for compacts). Perfect for eyeglass wearers.

RUBBER-ARMORED COATING
Provides a fast, sure, non-slip grip.

PROSTAFF

PROSTAFF compact binoculars feature superb optics, ergonomic design and waterproof, fogproof performance. As a member of the renowned ATB (All-Terrain Binocular) family—the PROSTAFF compact can be trusted to give you the vision you demand when the conditions are at their worst.

ROOF PRISM DESIGN
Folds to fit in pocket.

MULTILAYER COATING
Multilayer-coated lenses for brighter images.



SMOOTH CENTRAL FOCUS KNOB
Fast range of focus for quick viewing.

WATERPROOF
O-ring sealed to prevent moisture from entering body.

FOGPROOF
Nitrogen purged for total reliability against thermal shock.

TRAILBLAZER

TRAILBLAZER compact binoculars are offered in 8x25 and 10x25 models, each featuring black rubber armoring, lightweight-yet-durable construction and waterproof, fogproof integrity for performance under any conditions. These little beauties feature a dual-hinge design that allows you to fold it up to fit into a pocket.

PROSTAFF		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
7483	8x25	BLACK	15.5	6.3	330	9.2	12.5	3.9x4.5	\$129.95
7485	10x25	BLACK	15.9	5.0	262	9.2	12.9	4.0x4.5	\$139.95
TRAILBLAZER		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
8217	8x25	BLACK	10.0	8.2	429	8.2	9.9	4.1x4.5	\$79.95
8218	10x25	BLACK	10.0	6.5	342	11.5	9.9	4.1x4.5	\$89.95



COMPACT BINOCULARS



READY FOR YOUR NEXT ADVENTURE

Nikon's Travelite and new Sportstar Zoom are just the ticket when you're heading out to explore, whether it's around the corner, or around the world! The Travelite is a lightweight compact, perfect for tucking in your bag. And the new Sportstar Zoom offers 8-24 power magnification range to bring you even closer to the action.

ASPHERICAL EYEPIECE LENSES
For an uncommonly flat, clear viewing field.

MULTILAYER COATING
Multilayer-coated lenses for brighter images.

PORRO PRISM SYSTEM
Provides increased image depth.

MULTILAYER COATING
Multilayer-coated lenses for brighter images.

TURN & SLIDE RUBBER EYECUPS
Adjust the eye-relief for a custom fit.

COMPACT & LIGHTWEIGHT
For take-anywhere versatility.



Turn and Slide Eyecups

Allow users to adjust the eye-relief for a custom fit—providing a full field of view and maximum comfort during extended periods of use.



SMOOTH CENTRAL FOCUS KNOB
Fast range of focus for quick viewing.



UNIQUE ZOOM LEVER
Extra-smooth 8-24x zooming.

SMOOTH CENTRAL FOCUS KNOB
Fast range of focus for quick viewing.

TRAVELITE

THE PERFECT COMPANION FOR ANY JOURNEY

The Travelite compact binocular features enhanced ergonomics and maximized durability. Aspherical eyepiece lenses allow for a viewing field that is uncommonly flat and clear from edge-to-edge, while lightweight carbon-fiber-reinforced body with rubber grip panels gives it a wonderful feel in the hands.

Sportstar Zoom

POWERFULLY SMALL

The all-new SPORTSTAR ZOOM binocular is a portable, pocket-sized option that is as versatile as it is compact. With the option of changing magnification anywhere between 8-power and 24-power through its centrally located zoom lever, this binocular will earn its keep in many different circumstances. Turn-and-slide rubber eyecups simplify use with or without eyewear.

TRAVELITE		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
7277	8x25	BLACK	14.0	5.6	293	9.8	9.3	4.5x4.6	\$99.95
7278	10x25	BLACK	11.1	5.0	262	9.8	9.5	4.3x4.6	\$109.95
7279	12x25	BLACK	11.1	4.2	220	13.1	9.7	4.3x4.6	\$119.95
SPORTSTAR ZOOM		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP
16736	8-24x25	BLACK	13.0@8x	4.6@8x	241@8x	13.1@8x	10.8	4.8x4.3	\$149.95



SPECIALTY BINOCULARS

BINOCULAR TELESCOPES

HIGH-POWER PRECISION FOR LAND, SKY OR SEA

Nikon's waterproof Binocular Telescopes feature massive 120mm diameter objective lenses and proprietary Nikon multicoatings for bright, clear, highly detailed observation in virtually any light conditions. Durable construction and included fork mount (and optional Pillar Stand and Adapter) allow for comfortable and stable high-magnification viewing for myriad applications in the toughest outdoor environments.



- MULTILAYER COATING
- LONG EYE RELIEF
- WATERPROOF
- NITROGEN PURGED

PILLAR STAND WITH ADAPTER

BINOCULAR TELESCOPE WITH FORK MOUNT								
	FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP	
16741	20x120	LT. GREY	20.8	3	156	493.8	26.8x17.9	\$8,999.95
16644	25x120	LT. GREY	18.9	2.9	150	493.8	26.5x17.9	\$9,999.95
16639	PILLAR STAND WITH ADAPTER						\$1,499.95	

- FULLY MULTICOATED OPTICS
- WIDE FIELD OF VIEW
- ED GLASS
- FIELD FLATTENER
- LONG EYE RELIEF
- PHASE CORRECTION COATING



- WATERPROOF
- NITROGEN PURGED
- TRIPOD ADAPTABLE

- MULTILAYER COATING
- WIDE FIELD OF VIEW
- LONG EYE RELIEF



- WATERPROOF
- NITROGEN PURGED
- TRIPOD ADAPTABLE

WX									
	FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	SIZE (LxW) (IN)	SRP	
16033	7x50 IF	BLACK	17.7	10.7	563	40.4	85.4	10.7x6.7	\$5,999.95
16034	10x50 IF	BLACK	15.3	9.0	472	65.6	88.4	11.5x6.7	\$6,399.95
ASTROLUXE									
8210	18x70	BLACK	15.4	4	210	266.0	72.3	11.5x9.2	\$1,799.95

WX

BINOCULAR OF THE CENTURY

The WX, in 7x50 and 10x50, is a hand-built, super-wide angle binocular delivering the widest field of view in Nikon's 103-year history, making it perfect for highly critical astronomical observation or highly-critical field use. Superior magnification and an incredible Apparent FOV make these your go-to optics for comet watching, stargazing or glassing entire hillsides without panning. Featuring Abbe-Koenig prisms, which offer total reflection on all surfaces for a high light transmission rate. Tripod Adapter and hard case included. Objective lenses with filter threads to accept a 55mm filter (P=0.75) round out its features.

ASTROLUXE

THE STARS ARE THE LIMIT

The Astroluxe is the quintessential astronomy binocular, with all-metal construction and O-ring sealed nitrogen filled tubes for waterproof and fogproof performance. The optical glass is specially ground and polished to eliminate surface aberrations and coated with multiple layers of Nikon's proprietary anti-reflective coatings to improve light transmission, enhance color rendition and provide flare-free viewing.



MONARCH FIELDSCOPES

PHOTO: AWILDCONNECTION.COM



LARGER THAN LIFE

True to its legendary name and reputation, the MONARCH Fieldscope pushes long-range viewing capability to an entirely new level for adventurous outdoors men and women. Delivering a full complement of Nikon optical technologies engineered for an incredibly bright, clear, high resolution view across the entire viewing field, the flagship MONARCH Fieldscope makes long days of viewing both satisfying and strain-free. With an innovative focusing system that reduces high-magnification scope movements and tough, lightweight aluminum alloy construction, the MONARCH Fieldscope assures its owner of a lifetime of high performance optical capability, mechanical precision and all-out ruggedness.

MONARCH

FULLY MULTICOATED OPTICS



ED GLASS



LONG EYE RELIEF



3x ZOOM RATIO



82MM

60MM

WATERPROOF

NITROGEN PURGED

TRIPOD ADAPTABLE



MEP-38W

MEP-20-60

MEP-30-60W

MONARCH FIELDSCOPE MEP EYEPIECES

Nikon has developed eyepieces exclusively for MONARCH Fieldscopes. Each employs an optical system, and a Field Flattener Lens System that delivers consistent sharpness and clarity across the entire field of view. Can be fitted to straight or angled body 82mm or 60mm MONARCH Fieldscope bodies.

MONARCH FIELDSCOPES		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	LENGTH* (IN)	SRP
16102	60ED-S w/MEP-20-60	BLACK	16.1 - 15.3	2.6 - 1.2	135 - 63	10.8	56.7	10.3/11.2	\$1,399.95
16103	60ED-A w/MEP-20-60	BLACK	16.1 - 15.3	2.6 - 1.2	135 - 63	10.8	56.4	10.6/11.5	\$1,399.95
16100	82ED-S w/MEP-20-60	BLACK	16.1 - 15.3	2.1 - 1.0	111 - 51	16.4	70.5	12.8/14.0	\$1,599.95
16101	82ED-A w/MEP-20-60	BLACK	16.1 - 15.3	2.1 - 1.0	111 - 51	16.4	70.1	13.1/14.3	\$1,599.95

*With and without hood fully extended

MEP EYEPIECES		W/FIELDSCOPE BODY	MAGNIFICATION	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	WEIGHT* (OZ)	SIZE (LxO.D.)* (IN)	SRP
16108	MEP-38W	60MM 82MM	30x 38x	18.5	2.5 2	132 105	9.5	2.9x2.4	\$299.95
16109	MEP-20-60	60MM 82MM	16x-48x 20x-60x	16.1-15.3**	2.6-1.2** 2.1-1.0**	135-63** 111-51**	12.3	3.5x2.4	\$299.95
16110	MEP-30-60W	60MM 82MM	24x-48x 30x-60x	15.2-14.2**	2.5-1.5** 2.0-1.2**	132-78** 105-63**	14.1	3.6x2.4	\$549.95

* (w/o caps) **Designed reference value at highest magnification



PROSTAFF FIELDSCOPES



PHOTO: AWILDCONNECTION.COM

PROSTAFF 5

RUGGED, ALL CONDITIONS SPOTTER

The PROSTAFF 5 Fieldscope offers a wide field of view and superb viewing in all conditions. It is engineered for precision and high magnification capability. Fully multicoated optics and prisms provide you with superb brightness. Super-fast bayonet eyepieces make scouting wide areas simple. Easy-to-pack and easy-to-use.



SEP-20-60

SEP-38W

SEP-25



- FULLY MULTICOATED OPTICS
- LONG EYE RELIEF
- 3x ZOOM RATIO

- WATERPROOF
- NITROGEN PURGED
- TRIPOD ADAPTABLE

PROSTAFF FIELDSCOPE EYEPIECES

Nikon SEP eyepieces are exclusively designed for PROSTAFF 5 and are ideal for comfortable, detailed observation. Each offers fully multilayer-coated lenses, long eye relief for viewing comfort with eyeglasses and a bayonet mount with lock for easy attachment and release. Water resistant when attached to Fieldscope body.



60MM-S OUTFIT

- FULLY MULTICOATED OPTICS
- LONG EYE RELIEF
- 3x ZOOM RATIO
- WATERPROOF
- NITROGEN PURGED
- TRIPOD ADAPTABLE

PROSTAFF 3

GRAB IT AND GO

The PROSTAFF 3 Fieldscope Outfit combines quality optics in a compact, rugged package for a take-anywhere spotter. The fully multicoated optics and 16-48x Zoom eyepiece guarantee you the best in versatility and performance. Packaged as an outfit, with compact tripod and carry case, the PROSTAFF 3 Fieldscope is ready for your next outing.

PROSTAFF 5		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	LENGTH (IN)	SRP
6974	20-60x82-S	BLACK	16.9	2.1	109	20	41.4	14.8x3.7	\$599.95
6975	20-60x82-A	BLACK	16.9	2.1	109	20	41.8	15.4x3.7	\$599.95
6976	16-48x60-S	BLACK	16.9	2.6	136	13.1	34	11.4x3.3	\$499.95
6977	16-48x60-A	BLACK	16.9	2.6	136	13.1	34.4	12x3.3	\$499.95
PROSTAFF 3 60mm Outfit									
6983	16-48x60-S OUTFIT	BLACK	19	2.3	120@16x	32.8	21.9	12.3x2.9	\$329.95
PROSTAFF 5 EYEPIECES		W/FIELDSCOPE BODY	MAGNIFICATION	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	WEIGHT (OZ)	SIZE (LxO.D.)(IN)	SRP
6978	SEP-25	60MM	20x	17.6	2.8	144	4.8	N/A	\$99.95
		82MM	25x		2.2	115			
6979	SEP-38W	60MM	30x	19	2.3	120	6.5	N/A	\$119.95
		82MM	38x		1.8	92			
6980	SEP-20-60*	60MM	16x-48x	16.9	2.6	136	7.9	N/A	\$159.95
		82MM	20x-60x		2.1	109			

*Included with Fieldscope



ED50 FIELDSCOPES



PHOTO: WILDCONNECTION.COM

OPTICS CARRY SYSTEMS



SMALL, YET MIGHTY

The Fieldscope 50mm ED is incredibly compact and lightweight, perfect for tucking into your pack for all your backpacking adventures. Nikon's ED glass delivers extremely bright, sharp true color images. Straight or angled body models.



FULLY MULTICOATED OPTICS



ED GLASS



WATERPROOF

NITROGEN PURGED

TRIPOD ADAPTABLE

FIELDSCOPE ED50 EYEPIECES

Nikon has developed optical eyepieces exclusively for the ED Fieldscopes designed to deliver consistent sharpness and clarity across the entire field of view. Can be fitted to straight or angled body ED50 Fieldscope bodies.



13-40x MC II Zoom

16x Wide DS

27x Wide DS

40x Wide DS

FIELDSCOPE 50MM ED		FINISH	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	CLOSE FOCUS (FT)	WEIGHT (OZ)	BODY SIZE (LxW)(IN)*	SRP
8320	13-30x50ED-S	DK GREY	12.9@13x	3	157@13x	9.8	16.0	8.2x2.8	\$829.95
8321	13-30x50ED-A	DK GREY	12.9@13x	3	157@13x	9.8	16.0	8.2x2.8	\$829.95
ED50 EYEPIECES		FINISH	MAGNIFICATION	EYE RELIEF (MM)	REAL ANGULAR FOV (DEGREES)	FOV @ 1000 YDS (FT)	WEIGHT* (OZ)	SIZE (LxO.D.) (IN)	SRP
7467	13-40x MC ZOOM II	N/A	13x-40x	14.1@13x	3@13x	157@13x	5.3	N/A	\$299.95
6954	16x WIDE DS	N/A	16x	18.7	4.5	238.5	6.0	N/A	\$299.95
6950	27x WIDE DS	N/A	27x	17.8	2.7	141.9	6.3	N/A	\$329.95
6951	40x WIDE DS	N/A	40x	17	1.8	93.6	6.7	N/A	\$349.95

*w/o caps



TREX™ (FREESTYLE)

At the system's core is the TREX™ FreeStyle fully adjustable harness with quick-release attachment cords. This feature-packed harness securely holds your optic close to the chest while running or crawling, yet allows fast access for glassing. TREX™ FreeStyle comfortably distributes your optics weight during long miles afield.



TREX™ (EXO)

The TREX™ EXO carry system integrates a lightweight exoskeleton shell that provides incredibly fast access. In conjunction with the harness's quick-release attachment cords that hold the optic securely in place, EXO offers protection of the eyepiece lenses even when the over-flap is not secured. Rear cellphone pocket has built-in microfiber cleaning cloth for keeping lenses smudge-free.



TREX™ (360)

Nikon's TREX™ 360 full protection carry system is a great bet to keep your optic safe, clean and dry. The TREX™ 360 adds a water-resistant, padded optic compartment to shield and secure your glass while also keeping it at-the-ready. The patented closure system keeps the case closed tight to shield against water, snow and dirt. Interior and exterior pockets hold personal gear that requires quick access. Interior cellphone pocket has built-in microfiber cleaning cloth. MOLLE webbing system on front allows attachment of other gear, while a hand warmer pocket offers a compartment for a disposable pocket warmer.

ENHANCE YOUR OPTICS EXPERIENCE

Nikon's TREX™ modular optic carry system adapts to your outdoor style and the conditions. The TREX harness comfortably distributes your optic's weight during long miles afield and is available in 3 variants—FreeStyle, EXO and 360—designed to address the degree of optics protection you seek. All models have a ventilated yoke that integrates a stowaway hydration bladder to accommodate your own hydration bladder.

Please visit NikonUSA.com for more information on the TREX™ Optic Carry System.

TREX BINOCULAR CARRY SYSTEM		SRP
16411	TREX™ FREESTYLE HARNESS	\$39.95
16415	TREX™ EXO CARRY SYSTEM	\$89.95
16414	TREX™ 360 CARRY SYSTEM	\$119.95
16413	TREX™ EXO BAG ONLY	\$49.95
16412	TREX™ 360 BAG ONLY	\$79.95



GEAR & ACCESSORIES

PHOTO: AWILDCONNECTION.COM



COMPACT OUTDOOR TRIPOD

A packable, ergonomic and stable platform for your spotting scope, binocular or camera that weighs just 32.8 ounces. This four-section aluminum alloy tripod extends from 15.75" collapsed length, out to 49.61" when fully extended. Recommended load capacity for this tripod is 5.5 lbs.



LENSPEN® PRO KIT



LENSPEN®



FOG KLEAR



MICRO FIBER CLEANING CLOTH



NEOPRENE BINOCULAR STRAP



WINDOW MOUNT BLACK



MONARCH/ACULON TRIPOD ADAPTER



EZ CARRY BINOCULAR HARNESS



RETRACTABLE RANGEFINDER TETHER

ACCESSORIES

16749	COMPACT OUTDOOR TRIPOD	\$99.95	16142	MICRO FIBER CLEANING CLOTH LARGE	\$8.95
8228	LENSPEN® PRO KIT	\$28.95	16416	NEOPRENE BINOCULAR STRAP	\$29.95
7072	LENSPEN®	\$11.95	7070	WINDOW MOUNT	\$54.95
16141	FOG KLEAR	\$7.95	8177	MONARCH/ACULON TRIPOD ADAPTER	\$25.95
8072	MICRO FIBER CLEANING CLOTH	\$5.95	6121	EZ CARRY BINOCULAR HARNESS	\$27.95
			8172	RETRACTABLE RANGEFINDER TETHER	\$23.95

FEATURE & PERFORMANCE

DESCRIPTION KEY

Throughout the pages of this catalog, feature and performance icons are used to help in comparing and selecting the right product for your intended use. Below is a detailed description for each:

OPTICS



Fully Multicoated Optics

Multiple layers of anti-reflective coating on all air-to-glass surfaces maximize light transmission, brightness and contrast.



Multilayer Coating

Multilayer coating is applied to one or more lens and prism surfaces.



Wide Field of View

(Binocular) Models that have fields of view of 60° or greater, based on the ISO 14132-1:2002 standard. **(Laser Rangefinder)** Models that have fields of view of 7.50 or greater.



Armor Lens Coating

Scratch-resistant coatings for eyepiece and objective lenses.



ED Glass

ED (Extra-low Dispersion) glass reduces chromatic aberration to a remarkable degree, providing clear images with superior contrast.



Long Eye Relief

(Binocular) Provides 15mm or more of eye relief (12mm+ for compacts). Perfect for eyeglass wearers. **(Laser Rangefinder)** Provides 15mm or more of eye relief. Perfect for eyeglass wearers.



High Contrast

Optical system provides ultra-high contrast and sharp images.



Field Flattener

Delivers sharp images all the way to the edge of the field of view.



3x Zoom Ratio

Offers flexibility for a variety of viewing situations.



Dielectric High Reflective Multilayer Coating

This coating features reflectance that exceeds 99%. By utilizing light interference, this coating assures high reflectivity across the full visible range, and ensures high color reproducibility.



Phase Correction Coating

Phase correction coating is applied to the roof (Dach) prism surface to minimize loss of resolution, ensuring high-contrast images.



Silver Prism Coating

Silver-alloy prism coating which features high reflectance is applied to the roof (Dach) prism.

BODY



Waterproof

O-ring sealed to prevent moisture from entering body.



Shockproof

Shrugs off rugged use.



Nitrogen Purged

Purged using nitrogen gas for total reliability against thermal shock and internal fogging.



Locking Diopter

Retains your personal setting.



OLED Display

High visibility red display provides ideal contrast on distant targets.



Tripod Adaptable

Ability to use tripod adapter to mount to tripod.

FUNCTION



ID Technology

Provides the horizontal distance to the target, even when ranging at angles.



STABILIZED

Image-stabilized to provide the easiest single-handed operation.



HYPER READ

Laser provides quick and stable measurement response regardless of distance (approx. 0.3 seconds).



TRU TARGET

Technology that allows you to switch between First Target and Distant Target modes.



CONTACT

Technical Information 1-800-NIKON US
Nikon Service & Repair
www.nikonusa.com/service

Features and specifications subject to change without notice.
NikonUSA.com

© Copyright 2021 Nikon Corporation

TM/ ® & © 2018 TrueTimber Outdoors Holding Company, LLC.
Manufactured and/or distributed under official license by Nikon Inc.

All Nikon Trademarks are the property of Nikon Corporation.

SR0367